




MODERN FORMS SMART FANS

2020

DESIGN INTEGRITY


Intentionally engineered
for durability and continuity throughout your design.





WET

ALL our fans are Wet Rated and are built to last. Quality materials crafted to endure the harshest of environments.



COHESIVENESS

We bring design continuity to your space. Our fans create a fluid connection between all.



MATERIALS

Sturdy die-cast aluminums & marine-grade stainless steel housings provide elegance and sophistication.





LUXURY

STYLES THAT FIT

Our designs blend easily into your décor.

Bold, Avant Garde fans break with tradition and demand attention.

Naturalistic fans ground your space with a timeless elegance.

Streamlined shapes and geometric designs of our Minimalist fans blend style and functionality.




SIMPLICITY

Easily synchronize and control all your fans at once.

Control an unlimited number of fans within range of our Bluetooth remote or wall control.

Or...
control them with Wi-Fi from anywhere in the world through our Modern Forms App.







TECHNOLOGY

Close your eyes and vacation at home.



BREEZE MODE

Simulate the playful wind.



COLOR TEMPERATURE

Pick a white light that makes you look sexy.



VOICE CONTROL

Speak naturally to command your fan and light.



PRIVACY

Peace of mind. Works on Wi-Fi without internet.

60" WYND



60" WYND



Model: **FR-W1801-60L**

Finish	Housing	Blade
BZ	Bronze	Bronze
SS	Stainless Steel	Stainless Steel
GH/WG	Graphite	Weathered Gray
MB	Matte Black	Matte Black
MW	Matte White	Matte White

Example: **FR-W1801-60L-BZ**

Specifications:


Blade:	13° Pitch, 60" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	19 lbs
Total Power:	51W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hrs



FR-W1801-60L-MB

60" Wynd in Matte Black

Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	34W	24W
Airflow	7116 CFM	4792 CFM
Energy Costs*	-	\$5/yr
Efficiency	208 CFM/W	200 CFM/W


* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



60" WYND




FR-W1801-60L-SS
Stainless Steel



FR-W1801-60L-GH/WG
Graphite/Weathered Gray

BLUETOOTH WALL CONTROL



F-WCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

OPTIONAL BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

60" WYND



FR-W1801-60L-MB
Matte Black



FR-W1801-60L-MW
Matte White



52" & 66" RENEGADE



52" & 66" RENEGADE



Model: **FR-W2001-66L**

Finish	Housing	Blade
GH/WW	Graphite	Weathered Wood
MB	Matte Black	Matte Black
MW	Matte White	Matte White
OB/BW	Oil rubbed Bronze	Barn Wood


Example: **FR-W2001-66L-GH/WW**

Specifications:

Blade:	14° Pitch, 66" Sweep, ABS
Downrod:	0.75"ID x 6"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	19 lbs
Total Power:	52W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W2001-66L-MB
66" Renegade in Graphite/Matte Black
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	37W	26W
Airflow	9535 CFM	6470 CFM
Energy Costs*	-	\$7/yr
Efficiency	279 CFM/W	251 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

52" & 66" RENEGADE




FR-W2001-66L-OB/BW
Oil Rubbed Bronze/Barn Wood

FR-W2001-66L-GH/WW
Graphite/Weathered Wood



OPTIONAL BLUETOOTH WALL CONTROL



F-WCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

52" & 66" RENEGADE



FR-W2001-52L-GH/WW
Matte White



FR-W2001-52L-MB
Matte Black

Model: **FR-W2001-52L**

Finish	Housing	Blade
GH/WW	Graphite	Weathered Wood
MB	Matte Black	Matte Black
MW	Matte White	Matte White
OB/BW	Oil rubbed Bronze	Barn Wood


Example: **FR-W2001-52L-MB**

Specifications:

Blade:	14° Pitch, 52" Sweep, ABS
Downrod:	0.75" ID x 6" H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	19 lbs
Total Power:	52W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W2001-52L-MB
52" Renegade in Graphite/Matte Black
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	32.5 W	23 W
Airflow	7445 CFM	4680 CFM
Energy Costs*	-	\$6/yr
Efficiency	219 CFM/W	203 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



72" WOODY



72" WOODY



Model: **FR-W1814-72L**

Finish	Housing	Blade
BZ/DW	Bronze	Dark Walnut
MB/DK	Matte Black	Distressed Koa
GH/WG	Graphite	Weathered Gray


Example: **FR-W1814-72L-BZ/DW**

Specifications:

Blade:	15° Pitch, 72" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80
Hanging Weight:	20 lbs
Total Power:	60W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W1814-72L-BZ/DW
72" Woody in Bronze/Dark Walnut
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	51W	34W
Airflow	10546 CFM	7690 CFM
Energy Costs*	-	\$10/yr
Efficiency	310 CFM/W	227 CFM/W


* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

72" WOODY



FR-W1814-72L-GH/WG
Graphite/Weathered Gray

BLUETOOTH WALL CONTROL



F-WCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

OPTIONAL BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

72" WOODY



FR-W1814-72L-BZ/DW
Bronze/Dark Walnut



FR-W1814-72L-MB/DK
Matte Black/Distressed Koa



70" AVIATOR 5



70" AVIATOR 5



Model: **FR-W1811-70**

Finish	Housing	Blade
MB/DK	Matte Black	Distressed Koa
GH/WG	Graphite	Weathered Gray

Example: **FR-W1811-70-MB/DK**


Specifications:

Blade:	14° Pitch, 70" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	23 lbs
Total Power:	35W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W1811-70-MB/DK

70" Aviator in Matte Black/Distressed Koa
Shown with optional luminaire



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	40W	28W
Airflow	11779 CFM	8431 CFM
Energy Costs*	-	\$8/yr
Efficiency	337 CFM/W	306 CFM/W


* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



70" AVIATOR 5




FR-W1811-70-MB/DK
Matte Black/Distressed Koa



FR-W1811-70-GH/WG
Graphite/Weathered Gray

BLUETOOTH WALL CONTROL



F-WCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

OPTIONAL BLUETOOTH REMOTE CONTROL




F-RCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

*Applies to 70" & 54"

70" AVIATOR 5



FR-W1811-70-MB/DK
Matte Black/Distressed Koa



FR-W1811-70-GH/WG
Graphite/Weathered Gray

OPTIONAL LUMINAIRE (Sold Separately)

F-1811-5-LED-MB

Matte Black



F-1811-5-LED-GH

Graphite



54" DOWNROD AVIATOR 5



FR-W1811-5-MB/DK
Matte Black/Distressed Koa

Model: **FR-W1811-5**

Finish	Housing	Blade
MB/DK	Matte Black	Distressed Koa
GH/WG	Graphite	Weathered Gray

Example: **FR-W1811-5-MB/DK**


Specifications:

Blade:	14° Pitch, 54" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	23 lbs
Total Power:	35W
LED Lumens:	1600 (Optional Luminaire)
LED Power:	20W (Optional Luminaire)
CRI:	90 (Optional Luminaire)
Color Temp:	3000K (Optional Luminaire)
Rated Life:	50,000hr (Optional Luminaire)

Model: **F-1811-5-LED**

OPTIONAL LUMINAIRE (Sold Separately)		
MB	Matte Black	
GH	Graphite	

Example: **F-1811-5-LED-GH**



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	34W	24W
Airflow	7116 CFM	4792 CFM
Energy Costs*	\$7/yr	\$5/yr
Efficiency	208 CFM/W	200 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

54" FLUSH AVIATOR 5



FH-W1811-5-GH/WG
Graphite/Weathered Gray

Model: **FH-W1811-5**

Finish	Housing	Blade
MB/DK	Matte Black	Distressed Koa
GH/WG	Graphite	Weathered Gray

Example: **FR-W1811-5-MB/DK**


Specifications:

Blade:	14° Pitch, 54" Sweep, ABS
Lead Wire:	80"
Hanging Weight:	23 lbs
Total Power:	35W
LED Lumens:	1600 (Optional Luminaire)
LED Power:	20W (Optional Luminaire)
CRI:	90 (Optional Luminaire)
Color Temp:	3000K (Optional Luminaire)
Rated Life:	50,000hr (Optional Luminaire)

Model: **F-1811-5-LED**

OPTIONAL LUMINAIRE (Sold Separately)		
MB	Matte Black	
GH	Graphite	

Example: **F-1811-5-LED-GH**



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	34W	24W
Airflow	6886 CFM	4492 CFM
Energy Costs*	-	\$5/yr
Efficiency	208 CFM/W	200 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

52" SLIM



52" SLIM



Model: **FR-W2003-52L**

Finish	Housing	Blade
MB	Matte Black	Matte Black
MW	Matte White	Matte White
BA	Brushed Aluminum	Titanium Silver

Example: **FR-W2003-52L-MB**

Specifications:


Blade:	14° Pitch, 52" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	17 lbs
Total Power:	47W
LED Lumens:	1110
LED Power:	13W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W2003-52L-MW

52" Slim in Matte Black

Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	19W	16W
Airflow	6142 CFM	4158 CFM
Energy Costs*	-	\$5/yr
Efficiency	256 CFM/W	181 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



52" SLIM




FR-W2003-52L-MW
Matte White



FR-W2003-52L-MB
Matte Black

OPTIONAL BLUETOOTH WALL CONTROL



F-WCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

52" SLIM FLUSH




Model: **FH-W2003-52L**

Finish	Housing	Blade
MB	Matte Black	Matte Black
MW	Matte White	Matte White
BA	Brushed Aluminum	Titanium Silver


Example: **FH-W2003-52L-MB**

Specifications:

Blade:	14° Pitch, 52" Sweep, ABS
Lead Wire:	80"
Hanging Weight:	17 lbs
Total Power:	47W
LED Lumens:	1110
LED Power:	13W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FH-W2003-52L-BA
52" Slim in Brushed Aluminum/ Titanium Silver
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	34W	24W
Airflow	5885 CFM	3961 CFM
Energy Costs*	-	\$5/yr
Efficiency	242 CFM/W	173 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

44" & 52" **TIP-TOP**



44" & 52" TIP-TOP


Model: **FR-W2004-52L**

Finish	Housing	Blade
BA	Brushed Aluminum	Titanium Silver
MW	Matte White	Matte White

Example: **FR-W2004-52L-BA**

Specifications:

Blade:	14° Pitch, 52" Sweep, ABS
Lead Wire:	80"
Hanging Weight:	19 lbs
Total Power:	49W
LED Lumens:	1110
LED Power:	13W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	19W	24W
Airflow	5253 CFM	3491 CFM
Energy Costs*	-	\$4/yr
Efficiency	276 CFM/W	223 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



44" & 52" TIP-TOP




FH-W2004-52L-MW
Matte White

BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

OPTIONAL BLUETOOTH WALL CONTROL



F-WCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

44" & 52" TIP-TOP



FH-W2004-44L-BA
Brushed Aluminum


Model: **FH-W2004-44L**

Finish	Housing	Blade
BA	Brushed Aluminum	Titanium Silver
MB	Matte Black	Matte Black
MW	Matte White	Matte White

Example: **FH-W2004-44L-BA**

Specifications:

Blade:	14° Pitch, 44" Sweep, ABS
Lead Wire:	80"
Hanging Weight:	19 lbs
Total Power:	49W
LED Lumens:	1110
LED Power:	13W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	16W	13W
Airflow	4351 CFM	2798 CFM
Energy Costs*	-	\$4/yr
Efficiency	290 CFM/W	211 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



52 & 62" ZEPHYR



52" & 62" ZEPHYR



Model: **FR-W2006-52L**

Finish	Housing	Blade
MB/DK	Matte Black	Distressed Koa
GH/WW	Graphite	Weathered Wood
MB	Matte Black	Matte Black
MW	Matte White	Matte White

Example: **FR-W2006-52L-MW**


Specifications:

Blade:	14° Pitch, 52" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	17 lbs
Total Power:	47W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W2006-52L-MB/DK

52" Zephyr in Matte Black/Distressed Koa
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	22W	13W
Airflow	6744 CFM	4527 CFM
Energy Costs*	-	\$4/yr
Efficiency	222 CFM/W	263 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



52" & 62" ZEPHYR



FR-W2006-52L-MB
Matte Black




FR-W2006-52L-MB/DK
Matte Black/ Distressed Koa

BLUETOOTH REMOTE CONTROL



F-RCBT-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

OPTIONAL BLUETOOTH WALL CONTROL



F-WCBT-WT
Optional with each fan
6 speeds
Dims light to 1%
ON/OFF

*Applies to 52" & 62"

52" & 62" ZEPHYR



FR-W2006-62L-MW
Matte White



FR-W2006-62L-GH/WW
Graphite/Weathered Wood

Model: **FR-W2006-62L**

Finish	Housing	Blade
MB/DK	Matte Black	Distressed Koa
GH/WW	Graphite	Weathered Wood
MB	Matte Black	Matte Black
MW	Matte White	Matte White


Example: **FR-W2006-62L-MW**

Specifications:

Blade:	14° Pitch, 62" Sweep, ABS
Downrod:	0.75"ID x 4.5"H Included
Mounting Slope:	Up to 30°
Lead Wire:	80"
Hanging Weight:	17 lbs
Total Power:	47W
LED Lumens:	1600
LED Power:	20W
CRI:	90
Color Temp:	3000K
Rated Life:	50,000hr



FR-W2006-62L-MB/DK
62" Zephyr in Distressed Koa
Shown with included luminaire cover



ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	22 W	13 W
Airflow	7244 CFM	5027 CFM
Energy Costs*	-	\$4/yr
Efficiency	263 CFM/W	222 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.





Bluetooth Wall Control

**F-WCBT-WT**



Included with each fan
6 fan speeds
Dims light to 1%
ON/OFF

Bluetooth Remote Control

**F-WCBT-WT**

Included with each fan
6 fan speeds
Dims light to 1%
ON/OFF

Downrod and Cap Couplers

Downrod		XF-12 12in	XF-48 48in	All our downrods are 1" O.D. and are threaded on the motor end to create an extra layer of security and allow for adjustments in the field.	AS Automotive Silver BA Brushed Aluminum BZ Bronze CFI *Carbon Fiber GB Gloss Black GH Graphite GW Gloss White	KO *Koa MB Matte Black MW Matte White OB Oil Rubbed Bronze SS Stainless Steel TT Titanium Silver
		XF-18 18in	XF-60 60in			
		XF-24 24in	XF-72 72in			
		XF-36 36in				
Downrod Couplers		XF-I	Connects two downrods together			

Example: **XF-18-TT**


*Carbon Fiber only in 12", 18", 24", and 36"

*Koa only in 12", 18", 24", and 36"

Suggested downrod height usage

Ceiling Height	15'	14'	13'	12'	11'	10'	9'
Downrod	72"	60"	48"	36"	24"	18"	12"

Sloped Ceiling Kit Designed to accommodate buildings with steeper sloped ceilings up to 45° or 12/12 pitch

Sloped Ceiling Kit		XF-SCK	AS Automotive Silver BA Brushed Aluminum BZ Bronze CFI Carbon Fiber DW Dark Walnut GB Gloss Black GH Graphite GW Gloss White	KO Koa MB Matte Black MW Matte White OB Oil Rubbed Bronze SS Stainless Steel TT Titanium Silver
--------------------	---	---------------	---	--

Example: **XF-SCK-DW**

Sloped ceiling degree conversion chart

Degree	4-8°	9-13°	14-17°	18-21°	22-25°	26-29°	30-32°	33-35°	36-38°	39-41°	42-44°	45°
Ceiling Slope Pitch	1/12 pitch	2/12 pitch	3/12 pitch	4/12 pitch	5/12 pitch	6/12 pitch	7/12 pitch	8/12 pitch	9-12 pitch	10/12 pitch	11/12 pitch	12/12 pitch

Supplied mounting brackets allow mounting on ceiling slopes up to 30° (7/12 pitch), optional slope kit allows mounting on ceilings up to 45° (12/12 pitch). The receiver will mount inside canopy.

Professional Assets

LOCAL & GLOBAL CONTROL: THE WI-FI and BLUETOOTH STORY

With the Bluetooth remote or wall control, you can control an unlimited number of fans within signal range – one – five – twenty-five. With Wi-Fi, the app can control a virtually unlimited number of fans—one, twenty, two hundred...you name it.

Best of Both Worlds:

The remote or wall control may be used in conjunction with the Modern Forms app if desired, to have both local and global control.

Form a Group:

Create groups of fans to make scheduling more efficient. Organize them by room type, floor number, location or style.

Plays Well with Others:

The Modern Forms app ties into other building control systems such as Control 4 and Samsung SmartThings.

Bluetooth:

A Bluetooth enabled remote or wall control is supplied with every new Modern Forms Smart Fan. For instantaneous control, Bluetooth is best. Powerful enough to pass through walls and doesn't require line of sight as required by IR.

Local Control:

The Bluetooth remote or wall control makes it convenient to operate your fans locally without relying on Wi-Fi or Internet access to connect with a cloud.

Synchronized Spinning:

Problem-free installation and operation of multiple fans in a series. Hold the button on the remote to set all fans in a group to the same setting.

No Plan? No Problem:

Control one or all of the fans in a room with any number of remote or wall controls without the need for complicated 3-way or 4-way wiring.

By Invitation Only:

Invite users to control fans via the app—they can customize their own schedules temporarily while you maintain master control.

Go Big or Go Home:

Modern Forms DC motors provide the torque necessary to quietly and efficiently power the largest designer fans on the market with superior CFM rating for air movement.

Sensorless DC motors:

Proprietary technologies were developed to control DC motors without the need for optical sensors, which have shorter lifespans.

ILLUMINATING EXPERIENCES:

Ceiling fans are commonly the only light source in a room. The luminaires within Modern Forms Smart Fans were custom designed to accommodate each unique fan to provide the maximum amount of usable illumination. Each luminaire incorporates WAC's proprietary dimming and control technology for smooth and continuous full-spectrum dimming from 100% to 1%. Available in 2700K, 3000K and 3500K color temperature modules.

Entire Line of Modern Forms Smart Fans

Size	Model	Name	Finishes	Wet Listing	Luminaire	CFM
26"	FH-W1802-26L	VOX	BZ, MW, TT	YES	YES	2617
38"	FH-W1802-38L	VOX	BZ, MW, TT	YES	YES	4860
42"	FR-W1801-42L	WYND	BZ, GH/WG, MW, SS, MB	YES	YES	4722
52"	FH-W1803-52L	AXIS	BZ, MW, TT	YES	YES	4813
52"	FR-W1803-52L	AXIS	BZ, MW, TT	YES	YES	5053
52"	FR-W1819-52L	MYKONOS	BZ/DW, GH/WG, MW	YES	YES	5236
52"	FR-W1910-52	ROBOTO	BA, MW, MB	YES	NO	5194
52"	FR-W1801-52L	WYND	BZ, GH/WG, MW, SS, MB	YES	YES	6568
54"	FH-W1811-54	AVIATOR FLUSH	MB/DK, GH/WG	YES	OPTIONAL	6321
54"	FR-W1811-54	AVIATOR	MB/DK, GH/WG	YES	OPTIONAL	7074
54"	FR-W1809-54L	LOTUS	BZ, MW	YES	YES	5575
56"	FR-W1806-56L	CERVANTES	GH/WG, OB/DW	YES	YES	6577
56"	FR-W1818-56L	NAUTILUS	OB/DW, GH/WG	YES	YES	7013
56"	FR-W1916-56L	NIRVANA	TT, GW, MB, KO	YES	YES	6989
56"	FR-W1817-56L	OSPREY	GH/WG, OB/DW	YES	YES	6278
56"	FR-W1922-56L	PARADOX	AV/MB, AB/MB	YES	YES	7672
60"	FR-W1812-60L	MORPHEUS II	GW, AS, CFI	YES	YES	7027
60"	FR-W1813-60L	MORPHEUS III	GW, AS, CFI	YES	YES	7244
60"	FR-W1920-60L	VENUS	TT/MW, AB/BZ, AV/MB	YES	YES	7154
60"	FR-W1810-60	VORTEX	AS, GB, GW	YES	NO	7720
60"	FR-W1815-60L	WINDFLOWER	GH/WG, OB/DW, MB/DK	YES	YES	8458
60"	FR-W1814-60L	WOODY	GH/WG, BZ/DW, MB/DK	YES	YES	7268
62'	FR-W1910-62	ROBOTO	BA, MW, MB	YES	NO	6384
80"	FR-W1805-80L	HYDRA	BZ, TT	YES	YES	11308
80"	FR-W1815-80L	WINDFLOWER	GH/WG, OB/DW, MB/DK	YES	YES	10647
96"	FR-W1805-96L	HYDRA	BZ, TT	YES	YES	12950
120"	FR-W1805-120L	HYDRA	BZ, TT	YES	YES	13300

NEW 2020 Modern Forms Smart Fans

Size	Model	Name	Finishes	Wet Listing	Luminaire	High CFM
70"	FR-W1811-70	AVIATOR 5	GH/WG, MB/DK	YES	OPTIONAL	11,779
54"	FR-W1811-5	AVIATOR 5	GH/WG, MB/DK	YES	OPTIONAL	7,116
54"	FH-W1811-5	AVIATOR 5 FLUSH	GH/WG, MB/DK	YES	OPTIONAL	6,886
52"	FR-W2001-52L	RENEGADE	GH/WW, MB, MW, OB/BW	YES	YES	7,445
66"	FR-W2001-66L	RENEGADE	GH/WW, MB, MW, OB/BW	YES	YES	9,535
52"	FR-W2003-52L	SLIM	BA, MB, MW	YES	YES	6,142
52"	FH-W2003-52L	SLIM FLUSH	BA, MB, MW	YES	YES	5,885
44"	FH-W2004-44L	TIP-TOP	BA, MW	YES	YES	4,351
52"	FH-W2004-52L	TIP-TOP	BA, MW	YES	YES	5,253
72"	FR-W1814-72L	WOODY	BZ/DW, GH/WG, MB/DK	YES	YES	10,546
42"	FR-W1801-42L	WYND	MB, BZ, SS, MW, GH/WG	YES	YES	4,722
52"	FR-W1801-52L	WYND	MB, BZ, SS, MW, GH/WG	YES	YES	7,160
60"	FR-W1801-60L	WYND	MB, BZ, SS, MW, GH/WG	YES	YES	7,160
52"	FR-W2006-52L	ZEPHYR	GH/WW, MB, MW, MB/DK	YES	YES	6,744
62"	FR-W2006-62L	ZEPHYR	GH/WW, MB, MW, MB/DK	YES	YES	7,244

Model Number Guide



FR = Ceiling Fan
FH = Flush Mounted

W = Wet Listed Model Sweep size L = Luminaire included Housing finish / Blade finish

Code	AB	AS	AV	BA	BW	BZ	CFI	DK	GB	GH	GW	KO	MB	MW	OB	SS	TT	WG	WW
Finish	Aged Brass	Automotive Silver	Antique Silver	Brushed Aluminum	Barn Wood	Bronze	Carbon Fiber	Dark Koa	Gloss Black	Graphite	Gloss White	Koa	Matte Black	Matte White	Oil Rubbed Bronze	Stainless Steel	Titanium Silver	Weathered Gray	Weathered Wood
																			NEW

Example: **FR-W1819-52L-GH/WG**

SMART HOME

Integration made simple.



Headquarters

Tel: 800.526.2588

West Coast Factory

1750 Archibald Ave
Ontario, CA 91761

East Coast Factory


44 Harbor Park Dr
Port Washington, NY 11050

Central Factory

1600 Distribution Ct
Lithia Springs, GA 30122

Consult the factory to take advantage of our custom capabilities in large quantities. For up to date product specifications and assistance please visit **modernforms.com**
or call

1-866-810-6615



Modern Forms Fans retains the right to modify the design of our products at any time as part of the company's continuous improvement program. © 2020

modernforms.com | 866.810.6615