

F

SHOWN: G-SERIES CAM
883CAM-SQ-PBA



G-SERIES
GIANT MARKET UMBRELLAS



*10' Square Giant Aluminum Market Umbrella - Double Pulley Lift - Anodized Silver Finish
w/ 9 oz. Marine Grade Pacific Blue Acrylic*

The G-Series is the flagship center post umbrella for all luxury resorts, hotels, and high-end outdoor living spaces. Built with the same commercial quality materials as the Greenwich and Monterey, the G-Series offers free-standing maximum shade options on a larger 2" center post with three canopy size options. We offer permanent, semi-permanent, and free-standing base options to accommodate any outdoor space.



G-SERIES **MONTEREY**

GIANT - FIBERGLASS MARKET UMBRELLA

The G-Series Monterey is an exceptional choice for outdoor spaces requiring not only a designer look, but a durable and flexible option that can withstand moderate winds. Its 2" diameter aluminum center post and superior 3/4" thick fiberglass ribs, ensure this impressive frame holds its beautiful aesthetic shape without sacrificing flexibility. Designed with the most dependable features, the G-Series Monterey is the best solution for maximum stylish shade.

SHAPES & SIZES



OCTAGON

13'4m



SQUARE

10' x 10'3m



RECTANGLE

8.5' x 11'2.5 x 3.5m



FRAME FINISHES

SILVER ANODIZED



SR

Frame finishes including Golden Oak **WG**, Matte Silver **MS**, Matte Black **BK**, Matte White **WH**, Matte Bronze **BZ**, are available at an increased cost and extended lead times up to 12 weeks.

FINIAL OPTIONS

CLASSIC BALL



BF DEFAULT

VERTEX



VF

FEATURES

Smooth and effortless double pulley system.

3/4" diameter fiberglass ribs and struts support this giant canopy, providing strength and rigidity.

2" diameter 3mm thick single piece aluminum center pole provides incredible strength and durability.

Solid marine grade chrome plated aluminum finial.

Stainless-steel hardware throughout.

Mounting options include permanent, semi-permanent, and free-standing bases for installation on any surface.

Please consult a licensed professional for in-ground or surface mounting installations.



880FM - 13' / 4M OCTAGON

- A.** overall height: 115" / 292cm
- B.** clearance: 85" / 216cm
- C.** closed clearance: 30" / 76cm
- MAST:** 2" / 5cm
- WEIGHT:** 45 lbs. / 20 kg.



883FM-SQ - 10' x 10' / 3M SQUARE

- A.** overall height: 115" / 292cm
- B.** clearance: 87" / 220cm
- C.** closed clearance: 25" / 68cm
- MAST:** 2" / 5cm
- WEIGHT:** 42 lbs. / 19 kg.



882FM-R - 8.5' x 11' / 2.5 X 3.5M RECTANGLE

- A.** overall height: 115" / 292cm
- B.** clearance: 86" / 218cm
- C.** closed clearance: 28" / 71cm
- MAST:** 2" / 5cm
- WEIGHT:** 36 lbs. / 16 kg.

Umbrella clearance dimensions are measured while not mounted in a base. Depending on the selected base, these clearance measurements will change. All dimensions have a +/-5" tolerance based on multiple variables; pin placement height, crank tautness and fabric weight.

Please consult a licensed professional for in-ground or surface mounting installations.

SPECIFIC MOUNTING **G-SERIES**

Please see further details on page(s) 56

36G Galvanized Stackable Steel Plate

W: 150 lbs./68 kg. **D:** 36"/91cm **H:** 1"/2.50mm

Free-Standing Base

40G Galvanized Stackable Steel Plate

W: 185 lbs./84 kg. **D:** 40"/101cm **H:** 1"/2.50mm

Free-Standing Base

ARU-480 Wheel Base (SHIPS EMPTY)

W: 80 lbs./36 kg. **D:** 36"/91cm **H:** 5"/13cm

Free-Standing Base

150A Premium Aluminum Shell w/Wheels

W: 150 lbs./68 kg. **D:** 30"/76cm **H:** 4"/10cm

Free-Standing Base

BZ2-SM In-Ground Stem Mount

W: 11 lbs./5 kg. **D:** 4"/10cm **H:** 16"/40cm (above ground)

Installed In-Ground

SPECIFIC MOUNTING **G-SERIES**



36G Galvanized Stackable Steel Plate

W: 150 lbs./68 kg. **D:** 36"/91cm **H:** .5"/12.7mm

Able to stack 3 G-Plates of any corresponding shape to increase maximum weight and overall footprint.

NOTE: When stacking plates, bolts will only "bite" to bottom plate. Rotate thread-less holes on additional stacking plates to match threaded holes on bottom plate.

STEM HEIGHT: 18"/45cm
STEM DIAMETER: 2"/50mm




40G Galvanized Stackable Steel Plate

W: 185 lbs./82 kg. **D:** 40"/101cm **H:** .5"/12.7mm

Able to stack 3 G-Plates of any corresponding shape to increase maximum weight and overall footprint.

NOTE: When stacking plates, bolts will only "bite" to bottom plate. Rotate thread-less holes on additional stacking plates to match threaded holes on bottom plate.

STEM HEIGHT: 18"/45cm
STEM DIAMETER: 2"/50mm



ARU-480 Free-Standing Wheel Base

W: 80 lbs./36 kg. **D:** 36"/91cm **H:** 5"/13cm

Galvanized steel box frame slotted for 12 (16x16x2) concrete pavers and matte silver anodized aluminum lid. Locking caster wheels and Leveling feet are included. *Pavers are not included.*

SHIPS EMPTY

STEM HEIGHT: 18"/45cm
STEM DIAMETER: 2"/50mm



MS



150A Premium Aluminum w/Wheels

W: 150 lbs./68 kg. **D:** 30"/76cm **H:** 4"/10cm

Powder coated, concrete filled aluminum shell with wheels. Pre-filled concrete. Removable interchangeable stem.

STEM HEIGHT: 18"/45cm
STEM DIAMETER: 2"/50mm



SM



BZ2-SM In-Ground Stem Mount

W: 11 lbs./5 kg. **D:** 4"/10cm **H:** .16"/40cm (above ground)

BZ "Bazooka" in-ground mounting stem is a 2 piece design that can be mounted in-ground (concrete, soil, clay) with removable stem.

Please consult a licensed professional for in-ground or surface mounting installations.

STEM HEIGHT: 16"/40cm - 2"/50mm



SM