



MATTHEWS

FAN COMPANY

GEOMETRY IN MOTION

PRODUCT CATALOG
Volume IV

Dear Supporter,

If you had told me during my college days that a trip to Brazil would change my life's trajectory, I would have laughed. Yet, that's exactly what happened in 1987, during my senior year at the University of Iowa. On a coastal road with friends somewhere between Rio de Janeiro and São Paulo, I stumbled upon a remarkable ceiling fan, the Duplo-Dinâmico. Its design was bold, original and unlike anything I'd seen before.




Chuck & friends, Fernando & Ivan, somewhere between Rio and São Paulo

Chuck & Claudia having lunch near the Gerbar Factory 1994



A few nights later, in a small bar in São Paulo's Jardims neighborhood and after too many caipirinhas,* I met Claudia, the granddaughter of the Duplo's inventor. This chance encounter led me to visit the family's factory, where I discovered artisans crafting fans that were more like art pieces than appliances.

- * The perfect recipe for Caipirinha:
- Use a Double rocks glass
 - Muddle lime wedges and 2tbs sugar
 - Fill glass with ice
 - Fill cachaca liquor to the rim and stir
 - Garnish with a lime wheel



In 1991, on a return trip to São Paulo for a wedding, I purchased a Duplo and installed it in my Lincoln Park, Chicago apartment. The fan sparked conversations and soon,




Original Duplo Dinâmico fans circa 1980

an idea was born. I began importing more fans and assembling them in the basement of that building. I had by then connected with local lighting professionals asking for advice on blades styles and finishes. Eventually, I would be designing my own models.



Chuck at Yasson & Alessandra's wedding 1991. Fun fact: Chuck would later name his daughter after the bride

Matthews Gas Machine Co. promotional flyer circa 1890



My goal was simple: combine modern design with timeless craftsmanship. Perhaps it's in my blood - my great-great-grandfather founded The Matthews Gas Machine Co., a gas lighting and carburetor company, in 1876, a few years after the Great Chicago Fire, during the city's renaissance. I like to think that same entrepreneurial spirit, commitment to quality, and innovation lives on in our work.

By 1995, our products were Underwriters Laboratories approved and I was building relationships with retail lighting showrooms nationwide. Some of our most iconic designs, Bianca and Brisa, began as my rough hand sketches faxed to Claudia's father, Italo, in São Paulo. Collaborating across continents, he would respond with beautifully hand-drawn drafts received in Chicago on rolled thermal fax paper.



Chuck & friend from highschool, Stephen Katz, in 1996 on the porch of the apartment where MFC was born. Katz today is a renowned architect and exclusive designer for Matthews Fan Co.

As others attempted to imitate our work, we pushed forward, launching our Atlas brand in 2008 to evolve our look and feel. From one fan in a Chicago apartment to a company with global reach, Matthews Fan Co. remains built on thoughtful design, timeless style, and a commitment to excellence.

From our family to yours, thank you for choosing Matthews Fan Company to be a part of your home.



Chuck and his daughter Alessandra.

Founder & Owner
Chuck Matthews

Table of Contents

ATLAS FANS

ACQUA16

ALESSANDRA18

ALESSANDRA TROPICAL22

ARIELLA26

DAGNY.....30

DAGNY-LK.....32

DIANE.....34

DONAIRE.....36

ELIZA.....40

ELIZA-H.....44

IRENE-3.....48

IRENE-3H.....52

IRENE-3HLK.....56

IRENE-5.....60

IRENE-5H.....64

IRENE-5HLK.....68

KAYE.....72

LAURA.....74

LINDSAY.....76

MELODY.....80

MOLLY.....82

MOLLYWOOD.....86

NAN.....90

NAN XL.....94

PATRICIA 3.....98

PATRICIA 5.....102

STEVEN.....106

SUPER JANET.....108

MATTHEWS-GERBAR

AR RUTHIANE.....114

BIANCE DIRECIONAL.....116

BRISA 2000.....118

BRUNA PAREDE.....120

DUPLO-DINAMICO.....122

ITALO VENTANIA.....124

JAROLD DIRECIONAL.....126

MICHELLE PAREDE.....128

VENT-BETTINA.....130

NEW & UPDATED PRODUCTS

NEW FAN DESIGNS

ALESSANDRA TROPICAL22

ARIELLA.....26

NEW 72” BLADES

IRENE-3.....48

IRENE-3H.....52

EXTENDED FINISHES

MOLLY.....82

IRENE-5H.....64

NEW 5CCT LIGHTKITS

ALESSANDRA.....18

ALESSANDRA TROPICAL.....22

ARIELLA.....26

IRENE-3HLK.....56

IRENE-5HLK.....68

PATRICIA-3.....98

PATRICIA-5.....102

REDESIGNED BLADES

MOLLYWOOD.....86

PRODUCT INFORMATION

ACCESSORIES

REMOTES132

DOWNRODS134

VAULTED CEILING MOUNTS.....136

SWATCHES

ATLAS SWATCHES138

MATTHEWS-GERBAR
SWATCHES140

SKU REFERENCE

QUICK REFERENCE.....142





Outdoor Wet Location Fans

Donaire

Shown:
DA-BS-BS Brushed Stainless Finish,
with Silver Blades

With teardrop motor housing, the 52" Donaire 316 **marine grade** stainless steel **coastal wet location** ceiling fan is transitional in design. Donaire is finished in brushed bronze, brushed stainless, matte black or gloss white, equipped with all weather blades and 16W LED dimmable light kit with optional metal cover. Constructed of entirely 316 marine grade stainless steel, the Donaire carries a **limited lifetime warranty and a 10 year warranty on the finish.**

Wet Location: Alessandra/Alessandra Tropical/Ariella/Eliza/Molly | **Coastal Location:** Donaire



**ALESSANDRA and
ALESSANDRA-LK**
90 Possible Finish Variations
5CCT Light Kit or No Light Kit
42" 56" 72" - Blade Length Options
Page 18
🌧️ 🌧️



**ALESSANDRA TROPICAL and
ALESSANDRA TROPICAL-LK**
50 Possible Finish Variations
5CCT Light Kit or No Light Kit
48" - Blade Length
Page 22
🌧️ 🌧️




ARIELLA and ARIELLA-LK
35 Possible Finish Variations
5CCT Light Kit or No Light Kit
64" - Blade Length
Page 26
🌧️ 🌧️



DONAIRE
20 Possible Finish Variations
Light Kit or Cap
52" - Blade Length
Page 36
🌧️ 🌧️ 🌧️



ELIZA
21 Possible Finish Variations
No Light Kit
56" - Blade Length
Page 40
🌧️ 🌧️



MOLLY
21 Possible Finish Variations
No Light Kit
56" - Blade Length
Page 82
🌧️ 🌧️

Fans With Light Kits

5CCT Light Kit: Alessandra/Alessandra Tropical/Ariella/Irene-3HLK/Irene-5HLK/Patricia-3/Patricia-5



ACQUA

4 Possible Finish Variations
Light Kit
Metal Blades 13" & Wood Blade 16" Options
Page 16



ALESSANDRA-LK

90 Possible Finish Variations
5CCT Light Kit
42" 56" 72" - Blade Length Options
Page 18



ALESSANDRA TROPICAL-LK

50 Possible Finish Variations
5CCT Light Kit
48" - Blade Length
Page 22



ARIELLA-LK

35 Possible Finish Variations
5CCT Light Kit
64" - Blade Length
Page 26



DAGNY-LK

8 Possible Finish Variations
Light Kit
Metal Blades 13" & Wood Blade 16" Options
Page 32



IRENE-3HLK

132 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 56



IRENE-5HLK

132 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 68



PATRICIA-3

72 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 98

Fans With Light Kits

Light Kit: Acqua/Dagny/Donaire/Lindsay/Super Janet



PATRICIA-5

72 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 102



DONAIRE

20 Possible Finish Variations
Light Kit
52" - Blade Length
Page 36



LINDSAY

12 Possible Finish Variations
Light Kit
52" - Blade Length
Page 76



SUPER JANET

48 Possible Finish Variations
Light Kit
42" 52" 60" - Blade Length Options
Page 108



2700K

3000K

4000K

5000K

6500K



Total Control

New 5 stage color changing technology is tunable and dimmable from both handheld remote and wall control.

** See accessory page for more information pg. 132*

Standard Fans With No Light Kits



ALESSANDRA

90 Possible Finish Variations
42" 56" 72" - Blade Length Options
Page 18



ALESSANDRA TROPICAL

50 Possible Finish Variations
48" - Blade Length
Page 22



ARIELLA

35 Possible Finish Variations
64" - Blade Length
Page 26



ELIZA

21 Possible Finish Variations
56" - Blade Length
Page 40




IRENE-3

48 Possible Finish Variations
42" 52" 60" 72" - Blade Length Options
Page 48



IRENE-5

36 Possible Finish Variations
42" 52" 60" - Blade Length Options
Page 60



MOLLY

21 Possible Finish Variations
56" - Blade Length Options
Page 82



MOLLYWOOD

48 Possible Finish Variations
42" 52" 60" - Blade Length Options
Page 86



NAN

72 Possible Finish Variations
42" 52" 60" - Blade Length Options
Page 90



NAN-XL

24 Possible Finish Variations
72" - Blade Length Option
Page 94

Rotational Fans



ACQUA

4 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 16



DAGNY

4 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 30



DAGNY-LK

8 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 32



AR RUTHIANE

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 114



BRISA 2000

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 118



DUPLO-DIMANICO

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 12"
Page 122



ITALO VENTANIA

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 124



VENT-BETTINA

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 130

Directional Fans



DIANE

12 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 34



KAYE

5 Possible Finish Variations
13" Diameter
Page 72



BIANCA DIRECIONAL

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 116




JAROLD DIRECIONAL

34 Possible Finish Variations
Metal Blades 13" & Wood Blade 16"
Page 126

Ceiling Mount Fans



ELIZA-H
21 Possible Finish Variations
No Light Kit
56" - Blade Length
Page 44



IRENE-3H
264 Possible Finish Variations
No Light Kit
42" 52" 60" 72" - Blade Length
Page 52



IRENE-3HLK
132 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length
Page 56



IRENE-5H
198 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 64



IRENE-5HLK
132 Possible Finish Variations
5CCT Light Kit
42" 52" 60" - Blade Length Options
Page 68



LINDSAY
24 Possible Finish Variations
5CCT Light Kit
52" - Blade Length Options
Page 76

Wall Fans



KAYE
5 Possible Finish Variations
13" Diameter
Page 72



LAURA
3 Possible Finish Variations
16" Diameter
Page 74



MELODY
2 Possible Finish Variations
13" Diameter
Page 80



BRUNA PAREDE
18 Possible Finish Variations
13" Diameter
Page 120



MICHELLE PAREDE
18 Possible Finish Variations
13" Diameter
Page 128

Atlas

Born from vision, built with purpose—Atlas by Matthews Fan Company is where timeless design meets enduring performance.

Since its founding in 2008 by Chuck Matthews, this proudly independent company has remained devoted to a singular mission: reimagining what ceiling and wall fans can be. With the introduction of the Atlas line, Matthews Fan Company breathed new life into fan design—balancing simplicity, strength, and elegance in every detail.

Each Atlas fan is an expression of artistry and intention, thoughtfully designed in-house to blend quiet power with visual poetry. Using only the finest, sustainably sourced materials—solid carved wood, ABS, cast aluminum, and stamped steel—these fans are engineered to endure, whether they grace a tranquil interior

or face the elements outdoors. Every design is backed by an environment rating, ensuring lasting beauty and performance, wherever it's installed.

Craftsmanship defines Atlas. **With an annual defect rate of less than 1% and a limited lifetime warranty**, trust is built into every rotation. The collection features modular options for limitless design versatility, while signature models—designed by renowned Chicago architect Stephen Katz—embody the brand's philosophy of “geometry in motion.”

From our Libertyville, Illinois facility. We continue to deliver more than just products—we deliver promise. With Atlas, a fan is never just a fan. It's an elegant, living gesture of form and function in motion.




Geometry in Motion

It's more than a tagline—it's the design philosophy that drives the heart of Atlas by Matthews Fan Company. Our fans are not just mechanical objects—they are architectural elements, sculpted with precision and set into elegant motion.

Shown:

NKXL-BK-WA-72 Matte Black, with Walnut Tone Blades



Shown:
AQ-TB-MTL Textured Bronze Finish, with Metal Blades

Acqua

A Masterpiece of Fluid Motion

Its graceful, whisper-quiet rotation mimics the effortless flow of nature, bringing a breath of fresh air to any space. With dual fan heads that glide in 180-degree arcs, Acqua creates a mesmerizing rhythm, adapting to your needs with seamless precision. The greater the tilt, the more dynamic the motion—delivering a cooling embrace that feels as natural as a soft summer breeze.



AQ-TB-MTL Textured Bronze Finish with Metal Blades



AQ-TB-WDBK
Textured Bronze Finish,
with Matte Black Blades



AQ-TB-WDBW
Textured Bronze Finish,
with Barn Wood Tone Blades

SKU BUILDER

AQ-XX-XXXX
(Model+Finish+Blade)

FAN FINISHES

Fan Finishes Metal Blades



TB
Textured Bronze

Blade Finishes Solid Wood



WDBK
Matte Black



WDBW
Barn Wood
Tone



WD
Mahogany
Tone

PRODUCT FEATURES

- LED** LED Light
- AC** AC Motor
- Handheld Remote
- 30°** Included 30° Slant Mount
- Safety Cage Compatible
- 360°** 360° Rotation
- Damp Location
- Unipack Shipping
- 60°** Optional 60° Slant Mount

FAN FEATURES

Fan Weight 27 lbs
Voltage 110
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122, 153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Overall Drop 16in / 41cm + downrod length

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL/CUL
Warranty Limited Lifetime

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 29°



Handheld Remote
- 3 Forward Speed
- Light On/Off
- Dimmable

*For more information see accessory page. 132

LIGHT KIT PHOTOMETRICS


Lamping (Replaceable) GU10 LED
Remote Dimmable No
Delivered Temperature in K 2969
Delivered Lumens 337.30
CRI 94 | **Watts** 5 |
Hours 36,000
Light kit longevity if used 6 Hours/Day: 16.5 Years

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage
RPM (Low/High)
Wood - 721 / 1199
Metal - 1040 / 1445
CFM/Watt (High)
Wood - 41
Metal - 39
CFM (Low/High)
Wood - 2750 / 4058
Metal - 1825 / 3167
Blade Pitch
Wood - 19°
Metal - 31°

Watts (High)
Wood - 101.25
Metal - 80.50

TECHNICAL SPECIFICATIONS





NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

90 POSSIBLE VARIATIONS

Alessandra

Minimal Form with Maximum Efficiency

The thoughtfully crafted and versatile wet location Alessandra will complement any aesthetic and improve the health and comfort of any room. Highly customizable, the Alessandra is available in 5 different body finishes, 6 blade finish options and color changing light kit. Backed by a limited lifetime warranty, our fans are of the highest quality and will dutifully perform for years to come.



Shown:

AK-BRBR-BK-72 Brushed Brass Finish, with 72" Matte Black Blades



NEW 5CCT LIGHT KIT


Shown:
AKLK-BK-BK-56 Matte Black Finish, with 56" Matte Black Blades, and 5CCT Light Kit



AK-TB-WN-42
Textured Bronze Finish, with Walnut Tone Blades



AKLK-MWH-GA-42
Matte White Finish, with Gray Ash Tone Blades



AK-BRBR-BW-56
Brushed Brass Finish, with Barn Wood Tone Blades



AKLK-TB-GA-56
Textured Bronze Finish, with Gray Ash Tone Blades



AK-BN-BN-72
Brushed Nickel Finish, with Brushed Nickel Blades



AKLK-BN-WN-72
Brushed Nickel Finish, with Walnut Tone Blades

PRODUCT FEATURES

- LED

5CCT Color Changing Light Kit
- DC

DC Motor
- Silent Motor
- Handheld Remote
- Accessory Wall Control
See page. 132
- Dimmable Light Kit
- Wet Location
- 30°

30° Slant Ceiling Canopy
- 60°

Optional 60° Slant Mount
- Unpack Shipping
Unpack not available for 72" Blade option

PRODUCT FEATURES

Blades (3)
- 13° Pitch
- ABS Blades
Overall Drop 8in / 20cm +
downrod length

Fan Weight 17 lbs
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Fan Diameter
- 42in / 107cm
- 56in / 142cm
- 72in / 183cm
Voltage 110 or 220


MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification UL / CUL
Warranty Limited Lifetime

DELIVERED LUMENS

2700K 1063 **5000K** 1221
3000K 1088 **6500K** 1107
4000K 1234

TECHNICAL SPECIFICATIONS



*Cuttable to 3in Minimum Downrod, CFM may be impacted

SKU BUILDER

NO LIGHT KIT
AK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)
LIGHT KIT
AKLK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

90 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
Light Kit & No Light Kit 42" 56" 72"



BRBR
Brushed Brass



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



TB
Textured Bronze



BW
Barn Wood Tone



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



GA
Gray Ash Tone



WN
Walnut Tone

STANDARD EQUIPMENT

Downrod 5in & 10in / 12.7cm & 25cm
Slant Ceiling Canopy 30°



Handheld Remote

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control

*For more information see
accessory page. 132



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

55 POSSIBLE VARIATIONS

Alessandra Tropical

Tropical Form with Maximum Efficiency


Escape to a tropical breeze with the Alessandra Tropical, where effortless elegance meets powerful performance. Designed to enhance any space, its sleek 48" form brings a touch of paradise indoors or out. With endless customization options and a color-changing light kit, this fan transforms with your style. Crafted for durability and backed by a lifetime warranty, the Alessandra Tropical isn't just a fan—it's a statement of comfort, beauty, and timeless sophistication.



Shown:

AKTPLK-TB-GA Textured Bronze Finish, with Gray Ash Tone Blades

NEW 5CCT LIGHT KIT



Shown:
AKTPLK-BRBR-LI Brushed Brass Finish, with Lilac Blades



AKTP-TB-WN
Textured Bronze Finish,
with Walnut Tone Blades



AKTP-MWH-BL
Matte White Finish,
with Light Blue Blades



AKTP-BK-BW
Matte Black Finish,
with Barn Wood Tone Blades



AKTP-BN-BK
Brushed Nickel Finish,
with Matte Black Blades



AKTPLK-BRBR-YE
Brushed Brass Finish,
with Light Yellow Blades



AKTPLK-BN-PI
Brushed Nickel Finish,
with Light Pink Blades



AKTPLK-MWH-LM
Matte White Finish,
with Light Maple Tone Blades



AKTPLK-TB-GA
Textured Bronze Finish,
with Gray Ash Tone Blades

PRODUCT FEATURES

- LED

5CCT Color Changing Light Kit
- DC

DC Motor
- Silent Motor
- Handheld Remote
- 60°

Optional 60° Slant Mount
- Dimmable Light Kit
- Wet Location
- 30°

30° Slant Ceiling Canopy
- Accessory Wall Control
See page. 132

FAN FEATURES

Blades (5)
- 16° Pitch
- 48" Blade Length
- ABS Blades
Overall Drop 8in / 20cm +
downrod length
Fan Weight 18 lbs
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Fan Diameter 48in / 121.92cm
Voltage 110 or 220

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 50 / 169
5in Downrod CFM (Low/High)
1394 / 4935
10in Downrod CFM (Low/High)
1394 / 4537
Watts (High) 34.98
CFM/Watt (High) 143

DELIVERED LUMENS

2700K 1063	5000K 1221
3000K 1088	6500K 1107
4000K 1234	

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification UL / CUL
Warranty Limited Lifetime

LIGHT KIT
PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | **Watts** 22 | **Hours** 30,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 13.7 Years


STANDARD EQUIPMENT

Downrod 5in & 10in
12.7cm & 25cm
Slant Ceiling Canopy 30°

Handheld Remote

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control

TECHNICAL SPECIFICATIONS



SKU BUILDER

NO LIGHT KIT
AKTP-XXXX-XXX
(Model+Finish+Blade)
LIGHT KIT
AKTPLK-XXXX-XXX
(Model+Finish+Blade)

FAN FINISHES

55 POSSIBLE VARIATIONS

Fan Finishes	Blade Finishes
Light Kit & No Light Kit	48"



*For more information see
accessory page. 132



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

35 POSSIBLE VARIATIONS

Ariella

Graceful, Powerful, and Effortlessly Sophisticated

The Ariella ceiling fan is a statement of modern elegance. With its striking eight-blade design, it delivers superior airflow while seamlessly blending into any space. Engineered for wet locations, Ariella brings beauty and performance indoors and out. Customize your ambiance with a color-changing light kit, five motor finishes, and seven blade options, ranging from sleek and contemporary to warm and rustic. Designed for those who appreciate both style and substance, Ariella is the perfect finishing touch to any space.



Shown:

ANLK-BRBR-MWH-64 Brushed Brass Finish, with Matte White Blades



Shown:
ANLK-BK-BW-64 Matte Black Finish, with Barn Wood Tone Blades



AN-MWH-BN-64
Matte White Finish,
with Brushed Nickel Blades



AN-BRBR-WN-64
Brushed Brass Finish,
with Walnut Tone Blades



AN-TB-MWH-64
Textured Bronze Finish,
with Matte White Blades



AN-BN-LM-64
Brushed Nickel Finish,
with Light Maple Tone Blades



ANLK-BK-BK-64
Matte Black Finish,
with Matte Black Blades



ANLK-TB-BW-64
Textured Bronze Finish,
with Barn Wood Tone Blades



ANLK-BN-GA-64
Brushed Nickel Finish,
with Gray Ash Tone Blades



ANLK-BRBR-BK-64
Brushed Brass Finish,
with Matte Black Blades

PRODUCT FEATURES

- LED** 5CCT Color Changing Light Kit
- DC** DC Motor
- Silent Motor**
- Handheld Remote**
- Optional 60° Slant Mount**
- Dimmable Light Kit**
- Wet Location**
- 30°** 30° Slant Ceiling Canopy
- Accessory Wall Control**
See page. 132
- Unipack Shipping**

FAN FEATURES

Blades (8)
- 18° Pitch
- 64" Blade Length / 162.56cm
- ABS Blades
Overall Drop 9in / 23cm +
downrod length
Fan Weight 28 lbs
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Fan Diameter 48in / 121.92cm
Voltage 110 or 220


LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | Watts 22 | Hours 30,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 13.7 Years

DELIVERED LUMENS

2700K 1063 **5000K** 1221
3000K 1088 **6500K** 1107
4000K 1234

TECHNICAL SPECIFICATIONS



SKU BUILDER

NO LIGHT KIT
AN-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

LIGHT KIT
ANLK-XXXX-XXXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

35 POSSIBLE VARIATIONS
Fan Finishes **Blade Finishes**
Light Kit & No Light Kit 64"




BRBR
Brushed Brass



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



TB
Textured Bronze



BW
Barn Wood Tone



BN
Brushed Nickel



GA
Gray Ash Tone



LM
Light Maple Tone



BK
Matte Black



MWH
Matte White



WN
Walnut Tone



Shown:
DG-BK-WD Matte Black Finish, with Mahogany Tone Blades

Dagny

Balance of Power and Grace

The Dagny exudes industrial elegance with its double-headed, 360° rotational design, featuring sleek cylindrical housing and parallel arms. Its dual fan heads glide smoothly in 180-degree arcs, allowing for infinite positioning and optimized airflow, creating a mesmerizing blend of power and grace. Crafted from durable cast aluminum and heavy stamped steel, it ensures efficient circulation of heat and air-conditioning while standing as a statement of strength and style. Available with an optional light kit (Dagny-LK) and backed by a limited lifetime warranty.



DG-TB-MLT Matte Black Finish with Metal Blades

DG-TB-WD
Matte Black Finish,
with Mahogany Tone Blades

DG-TB-WDBW
Textured Bronze Finish,
with Barn Wood Tone Blades

PRODUCT FEATURES

- AC** AC Motor
- Handheld Remote**
- 360°** 360° Rotation
- 60°** Optional 60° Slant Mount
- Damp Location**
- Unipack Shipping**
- 30°** 30° Slant Ceiling Canopy
- Safety Cage Compatible**


FAN FEATURES

Fan Weight 22 lbs
Voltage 110
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122, 153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Overall Drop 14in / 36cm
+ downrod length

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

TECHNICAL SPECIFICATIONS



SKU BUILDER

DG-XX-XXXX
(Model+Finish+Blade)

FAN FINISHES

Fan Finishes
Metal Blades



TB
Textured Bronze

Blade Finishes
Solid Wood



WDBW
Barn Wood Tone



WD
Mahogany Tone



WDBK
Matte Black

DOE MOTOR EFFICIENCY DATA

Guard Options

Wood - No Cage Option
Metal - Safety Cage or Decorative Cage

RPM (Low/High)
Wood - 757 / 1256
Metal - 1035 / 1448
CFM/Watt (High)
Wood - 50
Metal - 42

CFM (Low/High)
Wood - 2565 / 4168
Metal - 2199 / 3169
Blade Pitch
Wood - 19°
Metal - 31°

Watts (High)
Wood - 87.26
Metal - 80.69

FAN DIAMETER

Solid Wood 41in / 104cm
+ downrod length
Metal with Guard 39in / 99cm
+ downrod length

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 29°



Handheld Remote
- 3 Speed

**For more information see
accessory page. 00*

**For more information see
accessory page. 132*



Shown:
DGLK-BK-MTL Matte Black Finish, with Metal Blades

Dagny-LK

Masterpiece of Motion

Blending sleek design with effortless 360° rotation, The Dagny Light Kit's dual fan heads glide in smooth, whisper-quiet arcs, allowing for infinite positioning and optimal airflow, while the increasing angle enhances its mesmerizing axial rotation. Crafted from durable cast aluminum and heavy stamped steel, it circulates air with exceptional efficiency, offering both function and sophistication. Backed by a limited lifetime warranty, this striking centerpiece is also available without a light kit as the Dagny.



DGLK-TB-MTL Textured Bronze Finish with Metal Blades



DGLK-BK-WD
Matte Black Finish,
with Mahogany Tone Blades



DGLK-TB-WDBK
Textured Bronze Finish,
with Matte Black Blades

PRODUCT FEATURES

- AC** AC Motor
- Handheld Remote** Handheld Remote
- 360°** 360° Rotation
- 30°** 30° Slant Ceiling Canopy
- Safety Cage Compatible** Safety Cage Compatible
- Damp Location** Damp Location
- Unipack Shipping** Unipack Shipping
- LED** LED Light
- 60°** Optional 60° Slant Mount

FAN FEATURES

Fan Weight 22 lbs
Voltage 110
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61,
92, 122, 153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Overall Drop 14in / 36cm
+ downrod length

LIGHT KIT PHOTOMETRICS

Lamping (Replaceable) GU10 LED
Remote Dimmable No
Delivered Temperature in K 2969
Delivered Lumens 337.30
CRI 94 | **Watts** 5 | **Hours** 36,000
Light Kit Longevity if used 6 Hours/Day: 16.5 Years

STANDARD EQUIPMENT

- Downrod** 10in / 25cm
- Slant Ceiling Canopy** 29°
- Handheld Remote**
 - 3 Speed
 - Light On/Off
 - Dimmable

*For more information see accessory page. 132

SKU BUILDER

DGLK-XX-XXXX
(Model+Finish+Blade)

FAN FINISHES

Fan Finishes Metal Blades
Blade Finishes Solid Wood



BK
Matte Black



TB
Textured Bronze



WDBW
Barn Wood Tone



WD
Mahogany Tone





WDBK
Matte Black

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage
RPM (Low/High)
Wood - 757 / 1256
Metal - 1069 / 1442
CFM/Watt (High)
Wood - 50
Metal - 39
CFM (Low/High)
Wood - 2557 / 4171
Metal - 1844 / 3067
Blade Pitch
Wood - 19°
Metal - 31°
Watts (High)
Wood - 101.25
Metal - 80.50

TECHNICAL SPECIFICATIONS





Shown:

DI-BK-WD Matte Black Finish, with Mahogany Tone Blades

Diane



Performance and Precision

Designed to transform any space with its powerful airflow. With a sweeping 90° forward and reverse oscillation, it ensures every corner of the room is touched by its refreshing breeze. Perfectly suited for small, hard-to-reach spaces or positioned strategically in front of HVAC ducts, the Diane enhances the efficiency of your heating, ventilation, and air conditioning, making every breath you take feel effortless and pure. Crafted from durable cast aluminum and heavy stamped steel, the Diane is built to last, backed by a limited lifetime warranty that promises years of reliable, silent comfort.

DI-BN-MTL Brushed Nickel Finish with Metal Blades



DI-BK-WDBW
Matte Black Finish,
with Barn Wood Tone Blades



DI-BN-WDBK
Brushed Nickel Finish,
with Matte Black Blades

PRODUCT FEATURES

- AC AC Motor
- Handheld Remote
- 90° Oscillation
- Optional 60° Slant Mount
- Damp Location
- Unipack Shipping
- 30° 30° Slant Ceiling Canopy
- Safety Cage Compatible


FAN FEATURES

Fan Weight 12 lbs
Voltage 110 or 220
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61, 92,
122, 153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Overall Drop Metal 14in / 36cm
+ downrod length
Overall Drop Wood 12in / 30cm
+ downrod length

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification ETL/CETL
Warranty Limited Lifetime

TECHNICAL SPECIFICATIONS




SKU BUILDER

DI-XX-XXXX
(Model+Finish+Blade)

FAN FINISHES

Fan Finishes
Metal Blades

Blade Finishes
Solid Wood



BK
Matte Black



CR
Polished Chrome



TB
Textured Bronze



WDBW
Barn Wood Tone



WD
Mahogany Tone



WDBK
Matte Black

DOE MOTOR EFFICIENCY DATA

Guard Options

Wood - No Cage Option

Metal - Safety Cage or Decorative Cage

RPM (Low/High)

Wood - 865 / 1325

Metal - 900/1325

CFM (Low/High)

Wood - 1441 / 2152

Metal - 1068 / 1345

Watts (High)

Wood - 51.37

Metal - 46.14

CFM/Watt (High)

Wood - 44

Metal - 31

Blade Pitch

Wood - 19°

Metal - 31°

FAN DIAMETER

Solid Wood 16in / 41cm

Metal with Guard 13in / 33cm

STANDARD EQUIPMENT

Downrod 10in / 25cm

Slant Ceiling Canopy 29°



Handheld Remote

- 3 Speed

- Oscillation On/Off

*For more information see
accessory page. 132



COASTAL LOCATION MARINE GRADE

10 YEAR FINISH WARRANTY

5CCT LIGHTING COMING IN 2026

20 POSSIBLE VARIATIONS

Donaire

Designed for Elegance and Durability

Its graceful teardrop motor housing and refined transitional design create an air of effortless luxury, while its **316 marine-grade stainless steel** construction ensures unwavering resilience—even against the harshest coastal elements. The Donaire is as versatile as it is stunning. Its **all-weather blades** glide smoothly through the air, complemented by a 16W dimmable LED light that casts a warm, inviting glow. For a sleeker aesthetic, an optional metal cover allows you to tailor its look to perfection. Engineered for lasting beauty and performance, the Donaire is backed by a **limited lifetime warranty on the motor and components** and a **10-year warranty on the finish**, ensuring it remains a statement of luxury and reliability for years to come.



Shown:

DA-BK-BK Matte Black Finish, with Matte Black Blades



COASTAL LOCATION MARINE GRADE

Shown:
DA-BB-BB Brushed Bronze Finish, with Bronze Tone Blades



DA-BS-BS
Brushed Stainless Finish,
with Silver Tone Blades

DA-BB-BW
Brushed Bronze Finish,
with Barn Wood Tone Blades

DA-WH-BS
Gloss White Finish,
with Silver Tone Blades

DA-BK-BB
Matte Black Finish,
with Bronze Tone Blades and
optional metal cover

PRODUCT FEATURES

- LED Lamp
- AC Motor
- Silent Motor
- Handheld Remote
- Accessory Wall Control See page. 00
- Dimmable Light Kit
- Coastal Environment
- 29° Slant Ceiling Canopy
- Unipack Shipping
- Optional 60° Slant Mount

FAN FEATURES

Blades (3)
- 14° Pitch
- 52" Blade Length / 132cm
- ABS Blades
Overall Drop 8.5in / 22cm +
downrod length
Fan Weight 29 lbs
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61, 92,
122, 153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Fan Diameter 52in / 132cm
Voltage 110 or 220

MOTOR FEATURES

Motor Type AC
Ambience Silent
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 55 / 172
CFM (Low/High) 1775 / 6013
Watts (High) 58.62
CFM/Watt (High) 111


LIGHT KIT
PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | **Watts** 16 | **Hours** 60,000
Dimmable
Longevity if used 6 Hours/Day:
27.4 Years

DELIVERED LUMENS

3017K 725

TECHNICAL SPECIFICATIONS



SKU BUILDER

DA-XX-XX
(Model+Finish+Blade)

FAN FINISHES

20 POSSIBLE VARIATIONS

Fan Finishes
Light Kit
Blade Finishes
52"



STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 29°
Light Cover
Handheld Remote
- 3 Speed
- Light On/Off
- Dimmable
**For more information see
accessory page. 132*



DESIGNED BY

21 POSSIBLE VARIATIONS

Stephen Katz

STEPHEN KATZ, AIA

Eliza

“Geometry In Motion” - Stephen Katz

The Eliza ceiling fan—designed by renowned Chicago architect Stephen Katz—seamlessly blends modern elegance with cutting-edge performance. Its uniquely sculpted blades are engineered to maximize airflow with effortless efficiency, reducing drag while enhancing motor optimization. Even at rest, Eliza makes a striking statement, its minimalist geometry and refined craftsmanship exuding both sophistication and utility. Constructed from cast aluminum and heavy stamped steel and backed by a limited lifetime warranty, Eliza is not just a fan—it’s a testament to timeless design and innovation.



Shown:

EK-BK-BK Matte Black Finish, with Matte Black Blades



Shown:
EK-WH-GA Gloss White Finish, with Gray Ash Tone Blades



EK-BK-BN
Matte Black Finish,
with Brushed Nickel Blades



EK-WH-BW
Gloss White Finish,
with Barn Wood Tone Blades



EK-BN-OO
Brushed Nickel Finish,
with Old Oak Tone Blades



WK-BK-WN
Matte Black Finish,
with Walnut Tone Blades

PRODUCT FEATURES

- DC

DC Motor
- Handheld Remote

Handheld Remote
- Wall Control

Wall Control
- 60°

Optional 60° Slant Mount
- Wet Location

Wet Location
- Unipack Shipping

Unipack Shipping
- 30°

30° Slant Ceiling Canopy

FAN FEATURES

Blades (3)
- 27° Pitch
- ABS Blades

Overall Drop 12in / 30cm +
downrod length

Fan Weight 17 lbs

Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61, 92,
122, 153, 183
Field cuttable, Non-threaded

Downrod Diameter 1 inch

Fan Diameter 56in / 142cm

Voltage 110 or 220

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 52 / 153
CFM (Low/High) 1639 / 5308
Watts (High) 33.13
CFM/Watt (High) 183

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°




Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

EK-XX-XX
(Model+Finish+Blade)

FAN FINISHES

21 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
56"



BN
Brushed Nickel



BW
Barn Wood Tone



WH
Gloss White



BN
Brushed Nickel



BK
Matte Black



WH
Gloss White



GA
Gray Ash Tone



BK
Matte Black



OO
Old Oak Tone



WN
Walnut Tone



DESIGNED BY

21 POSSIBLE VARIATIONS

Stephen Katz

STEPHEN KATZ, AIA

Eliza-H

“Geometry In Motion” - Stephen Katz

A vision of modern elegance and engineering, the Eliza-H ceiling-mount fan—designed by acclaimed Chicago architect Stephen Katz—seamlessly merges sculptural beauty with unparalleled performance. Its uniquely crafted blades are precision-engineered to maximize airflow with effortless efficiency, reducing drag and optimizing motor power for a smoother, quieter experience. Even at rest, the Eliza-H captivates with its striking minimalist geometry, a perfect harmony of form and function. Crafted from cast aluminum and heavy stamped steel and backed by a limited lifetime warranty, the Eliza-H is more than a fan—it’s a statement of innovation and sophistication.



Shown:
EKH-BK-WN Matte Black Finish, with Walnut Tone Blades



Shown:
EKH-BN-BN Brushed Nickel Finish, Brushed Nickel Blades



EKH-BK-BK
Matte Black Finish,
with Matte Black Blades



EKH-WH-WH
Gloss White Finish,
with Gloss White Blades



EKH-BN-WH
Brushed Nickel Finish,
with Gloss White Blades



EKH-BK-BW
Matte Black Finish,
with Barn Wood Tone Blades

PRODUCT FEATURES

- DC Motor
- Silent Motor
- Handheld Remote
- Wall Control
- Damp Location
- Unipack Shipping

FAN FEATURES

- Blades (3)**
 - 27° Pitch
 - ABS Blades
- Overall Drop** 10in / 25cm
- Fan Weight** 14 lbs
- Downrod Diameter** 1 inch
- Fan Diameter** 56in / 142cm
- Voltage** 110 or 220

MOTOR FEATURES

- Motor Type** DC
- Ambience** Silent
- Safety Certification** ETL / CETL
- Warranty** Limited Lifetime

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High)** 52 / 155
- CFM (Low/High)** 1068 / 3756
- Watts (High)** 33.49
- CFM/Watt (High)** 126

STANDARD EQUIPMENT




- Handheld Remote**
- 6 Speed
 - Motor Off
 - Reverse



- Wireless Wall Control**
- 6 Speed
 - Motor Off
 - Reverse

**For more information see accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

EKH-XX-XX
(Model+Finish+Blade)

FAN FINISHES

21 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
56"



BN
Brushed Nickel




BW
Barn Wood Tone



WH
Gloss White



BN
Brushed Nickel



WH
Gloss White



BK
Matte Black



GA
Gray Ash Tone



BK
Matte Black



OO
Old Oak Tone



WN
Walnut Tone

- 
- NEW 72" BLADE LENGTH
 - NEW BLADE FINISHES
 - 48 POSSIBLE VARIATIONS

Irene 3

Timeless Craftsmanship

A seamless blend of rustic warmth and modern elegance, the Irene-3 ceiling fan is a statement of refined simplicity. Its three beautifully crafted blades—available in matte black, matte white, walnut, light maple, gray ash, or barn wood tones—are meticulously joined to create a harmonious balance of nature and design. A sleek, spherical motor housing enhances its streamlined silhouette, exuding both sophistication and warmth. Expertly constructed from cast aluminum and heavy stamped steel, the Irene-3 is built to endure, carrying a limited lifetime warranty.



Shown:

IR3-BK-LM-60 Matte Black Finish, with 60" Light Maple Tone Blades



Shown:
IR3-BK-BK-52 Matte Black Finish, with 52” Matte Black Blades



IR3-TB-BW-42
Textured Bronze Finish,
with 42” Barn Wood Tone Blades



IR3-TB-WA-52
Textured Bronze Finish,
with 52” Walnut Tone Blades



IR3-TB-GA-60
Matte Black Finish,
with 60” Gray Ash Tone Blades



IR3-BK-WA-72
Matte Black Finish,
with 72” Walnut Tone Blades

PRODUCT FEATURES

- AC

AC Motor
- Silent

Silent Motor
- Handheld

Handheld Remote
- 60°

Optional 60° Slant Mount
- Wall

Wall Control
- Damp

Damp Location
- 30°

30° Slant Ceiling Canopy


FAN FEATURES

- Blades** (3)
- 15° Pitch (42”, 52”, 60”)
- 16° Pitch (72”)
- CNC Cut Solid Wood
- Overall Drop** 12in / 30cm +
downrod length
- Fan Weight** 17 lbs
- Downrod Lengths**
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
- Downrod Diameter** 1 inch
- Fan Diameter** inches: 42, 52, 60,
or 72 / centimeters: 107, 132, 152,
or 183
- Voltage** 110 or 220
- MOTOR FEATURES**
- Motor Type** AC
- Ambience** Silent
- Safety Certification** ETL / CETL
- Warranty** Limited Lifetime

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High)**
42in - 52 / 267
52in - 51 / 191
60in - 52 / 150
72in - 49 / 109
- CFM (Low/High)**
42in - 541 / 4907
52in - 1531 / 6641
60in - 2088 / 7370
72in - 3443 / 8224
- Watts (High)**
42in - 17.08
52in - 32.12
60in - 31.67
72in - 32.97
- CFM/Watt (High)**
42in - 160
52in - 214
60in - 253
72in - 279

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR3-XX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

48 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
42”, 52”, 60”, 72”

BK
Matte Black

TB
Textured Bronze

BW
Barn Wood Tone

GA
Gray Ash Tone

LM
Light Maple Tone

BK
Matte Black

MWH
Matte White


WA
Walnut Tone

STANDARD EQUIPMENT

Handheld Remote
- 6 Speed
- Motor Off
- Reverse

Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*



NEW 72" BLADE LENGTH

NEW BLADE FINISHES

264 POSSIBLE VARIATIONS

Irene-3H

Organic Charm and Contemporary Sophistication

The Irene-3H three solid wood blades—offered in rich walnut, light maple, gray ash, barn wood, and sleek matte finishes—are beautifully joined, creating a striking balance of natural texture and modern design. A cylindrical motor housing enhances its clean, minimalist profile, allowing it to blend effortlessly into any space. Expertly crafted from cast aluminum and heavy stamped steel, the Irene-3H is as durable as it is refined, a timeless addition backed by a limited lifetime warranty.



Shown:

IR3H-LM-WA-72 Light Maple Tone Finish, with 72" Walnut Tone Blades


See a similar look in a downrod, The Nan on pg. 88



Shown:
IR3H-TB-WA-60 Textured Bronze Finish, with 60” Walnut Tone Blades



IR3H-CR-BK-42
Polished Chrome Finish,
with 42” Matte Black Blades



IR3H-BRBR-GA-52
Brushed Brass Finish,
with 52” Gray Ash Tone Blades



IR3H-BP-MWH-60
Brushed Pewter Finish,
with 60” Matte White Blades



IR3H-BN-LM-60
Brushed Nickel Finish,
with 60” Light Maple Tone Blades



IR3H-WN-WN-72
Walnut Tone Finish,
with 72” Walnut Tone Blades



IR3H-LM-MWH-72
Light Maple Tone Finish,
with 72” Matte White Blades

PRODUCT FEATURES

- DC

DC Motor
- Silent Motor

Silent Motor
- Handheld Remote

Handheld Remote
- Wall Control

Wall Control
- Damp Location

Damp Location

FAN FEATURES

Blades (3)
- 15° Pitch
- CNC Cut Solid Wood

Overall Drop 10in / 25cm

Fan Weight 11 lbs

Fan Diameter inches: 42, 52, 60,
or 72 / centimeters: 107, 132, 152,
or 183

Voltage 110 or 220

Motor Type DC

Ambience Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High)
42in - 50 / 267
52in - 50 / 189
60in - 50 / 151
72in - 50 / 109

CFM (Low/High)
42in - 766 / 4633
52in - 1394 / 5863
60in - 1868 / 6092
72in - 2674 / 6085

Watts (High) CFM/Watt (High)
42in - 28.38 **42in** - 154
52in - 30.16 **52in** - 194
60in - 30.51 **60in** - 208
72in - 30.47 **72in** - 208

MOTOR FEATURES

STANDARD EQUIPMENT




Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR3H-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

264 POSSIBLE VARIATIONS
Fan Finishes **Blade Finishes**
42”, 52”, 60”, 72”



BW
Barn Wood Tone



BW
Barn Wood Tone



BRBR
Brushed Brass



GA
Gray Ash Tone



BB
Brushed Bronze



LM
Light Maple Tone



BN
Brushed Nickel



BK
Matte Black



BP
Brushed Pewter



MWH
Matte White



WH
Gloss White



LM
Light Maple Tone



WA
Walnut Tone



BK
Matte Black



CR
Polished Chrome



TB
Textured Bronze



WN
Walnut Tone



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

132 POSSIBLE VARIATIONS

Irene-3HLK

Natural Craftsmanship Meets Modern Design

The Irene-3HLK three solid wood blades—available in matte black, matte white, walnut, or barn wood tones—are expertly joined, creating a refined yet inviting presence. The sleek cylindrical motor housing enhances its clean silhouette, making it a seamless addition to both contemporary and classic spaces. Now featuring a 5CCT color-changing light kit, the Irene-3HLK allows you to customize brightness and hue effortlessly—all fully dimmable and adjustable from the convenience of a handheld remote. Built from cast aluminum and heavy stamped steel, it is as durable as it is stylish, promising lasting beauty and performance.



Shown:

IR3HLK-BRBR-MWH-60 Brushed Brass Finish, with 60" Matte White Blades

See a similar look in a downrod, Patricia-3 on pg. 96



Shown:
IR3HLK-CR-BK-60 Polished Chrome Finish, with 60” Matte Black Blades



IR3HLK-BN-BW-42
Brushed Nickel Finish,
with 42” Barn Wood Tone Blades



IR3HLK-BW-MWH-52
Barn Wood Tone Finish,
with 52” Matte White Blades



IR3HLK-LM-BK-60
Light Maple Tone Finish,
with 60” Matte Black Blades



IR3HLK-BB-MWH-60
Brushed Bronze Finish,
with 60” Matte White Blades



IR3HLK-WN-WA-52
Walnut Tone Finish,
with 50” Walnut Tone Blades



IR3HLK-BP-BK-60
Brushed Pewter Finish,
with 60” Matte Black Blades

PRODUCT FEATURES

- LED

5CCT Color Changing Light Kit
- DC

DC Motor
- Silent Motor
- Handheld Remote
- Wall Control
- Dimmable Light Kit
- Damp Location

FAN FEATURES

Blades (3)
- 15° Pitch
- CNC Cut Solid Wood
Overall Drop 12in / 30cm
Fan Weight 12 lbs
Fan Diameter inches: 42, 52, 60
centimeters: 107, 132, 152, or 183
Voltage 110 or 220

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

STANDARD EQUIPMENT

- 

Handheld Remote & Wireless Wall Control
 - 6 Speed
 - Motor Off
 - Reverse
 - Light on/off
 - 5 Temperature Color Changes
 - Dimmable Control

**For more information see accessory page. 132*

DOE MOTOR EFFICIENCY DATA

RPM (Low/High)
42in - 50 / 229
52in - 51 / 201
60in - 51 / 153
CFM (Low/High)
42in - 701 / 5084
52in - 1057 / 5239
60in - 1783 / 5960

Watts (High)
42in - 17.61
52in - 32.38
60in - 32.08

CFM/Watt (High)
42in - 271
52in - 170
60in - 199


LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | **Watts** 22 | **Hours** 30,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 13.7 Years

DELIVERED LUMENS

2700K 1063
3000K 1088
4000K 1234
5000K 1221
6500K 1107

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR3HLK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

132 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
Light Kit 42”, 52”, 60”



BW
Barn Wood Tone



BW
Barn Wood Tone



BRBR
Brushed Brass



BK
Matte Black



BB
Brushed Bronze



MWH
Matte White



BN
Brushed Nickel



WA
Walnut Tone



BP
Brushed Pewter



WH
Gloss White



LM
Light Maple Tone



BK
Matte Black



CR
Polished Chrome



TB
Textured Bronze



WN
Walnut Tone



NEW BLADE FINISHES

36 POSSIBLE VARIATIONS

Irene 5

A Statement of Understated Luxury

Its five beautifully sculpted solid wood blades—available in matte black, gray ash, light maple, matte white, walnut, or barn wood tones—are artfully joined, creating a perfect harmony of warmth and contemporary design. A sleek spherical motor housing enhances its minimalist silhouette, adding to its refined yet inviting presence. Expertly crafted from cast aluminum and heavy stamped steel, the Irene-5 is designed for both style and longevity, backed by a limited lifetime warranty.



Shown:

IR5-BK-WA-60 Matte Black Finish, with 60" Walnut Tone Blades



Shown:
IR5-BK-BW-52 Matte Black Finish, with 52” Barn Wood Tone Blades



IR5-TB-GA-42
Textured Bronze Finish,
with 42” Gray Ash Tone Blades



IR5-BK-BK-52
Matte Black Finish,
with 52” Matte Black Blades



IR5-TB-BK-60
Textured Bronze Finish,
with 60” Matte Black Blades



IR5-BK-LM-60
Matte Black Finish,
with 60” Light Maple Tone Blades

PRODUCT FEATURES

- DC Motor
- Silent Motor
- Handheld Remote
- Optional 60° Slant Mount
- Wall Control
- Damp Location
- 30° Slant Ceiling Canopy

FAN FEATURES

- Blades (5)**
 - 15° Blade Pitch
 - CNC Cut Solid Wood
- Overall Drop** 12in / 30cm + downrod length
- Fan Weight** 18 lbs
- Downrod Lengths**
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122, 153, 183
Field cuttable, Non-threaded
- Downrod Diameter** 1 inch
- Fan Diameter** inches: 42, 52, or 60 / centimeters: 107, 132, or 152
- Voltage** 110 or 220

MOTOR FEATURES

- Motor Type** DC
- Ambience** Silent
- Safety Certification** ETL / CETL
- Warranty** Limited Lifetime

DOE MOTOR EFFICIENCY DATA


RPM (Low/High)
42in - 51 / 229
52in - 51 / 162
60in - 52 / 117

CFM (Low/High)
42in - 852 / 5203
52in - 1784 / 6372
60in - 3328 / 7351

Watts (High)
42in - 25.33
52in - 32.18
60in - 31.38

CFM/Watt (High)
42in - 168
52in - 211
60in - 251

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR5-XX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

36 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
42”, 52”, 60”



BK
Matte Black



TB
Textured Bronze



BW
Barn Wood Tone



GA
Gray Ash Tone



LM
Light Maple Tone



BK
Matte Black



MWH
Matte White



WA
Walnut Tone

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote

- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control

- 6 Speed
- Motor Off
- Reverse

**For more information see accessory page. 132*



NEW BLADE FINISHES

198 POSSIBLE VARIATIONS

Irene-5H

Warmth and Contemporary Design

The Irene-5H five exquisitely crafted solid wood blades—now available in stunning new finishes of Light Maple Tone and Gay Ash Tone, alongside classic matte black, pristine matte white, warm walnut, and rustic barn wood tones—create a striking harmony with its sleek cylindrical motor housing, allowing it to float effortlessly through any room. Designed with precision and care, the Irene-5H is a work of art, expertly constructed from cast aluminum and heavy stamped steel, ensuring it not only captivates the eye but also delivers lasting beauty and unparalleled performance. This timeless addition to your space is backed by a limited lifetime warranty, offering both style and peace of mind for years to come.



Shown:

IR5H-WN-BK-52 Walnut Finish, with 52" Matte Black Blades



Shown:
IR5H-BRBR-LM-60 Brushed Brass Finish, with 60” Light Maple Tone Blades



IR5H-BP-GA-42
Brushed Pewter Finish,
with 42” Gray Ash Tone Blades



IR5H-TB-WA-42
Textured Bronze Finish,
with 42” Walnut Tone Blades



IR5H-BB-BK-52
Brushed Bronze Finish,
with 52” Matte White Blades



IR5H-WH-LM-52
Matte White Finish,
with 52” Light Maple Tone Blades



IR5H-CR-BW-60
Polished Chrome Finish,
with 60” Barn Wood Tone Blades



IR5H-LM-BK-60
Light Maple Tone Finish,
with 60” Matte Black Blades

PRODUCT FEATURES

- DC

DC Motor
- Silent Motor

Silent Motor
- Handheld Remote

Handheld Remote
- Wall Control

Wall Control
- Damp Location

Damp Location

FAN FEATURES

- Blades (5)
- 15° Pitch
- CNC Cut Solid Wood
- Overall Drop 10in / 25cm
- Fan Weight 12 lbs
- Fan Diameter inches: 42, 52, or 60 / centimeters: 107, 132, or 152
- Voltage 110 or 220

MOTOR FEATURES

- Motor Type DC
- Ambience Silent
- Safety Certification ETL / CETL
- Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High)
42in - 50 / 235
52in - 50 / 163
60in - 50 / 120
- CFM (Low/High)
42in - 814 / 4766
52in - 1625 / 5532
60in - 2391 / 5897
- Watts (High)
42in - 25.76
52in - 31.46
60in - 31.58
- CFM/Watt (High)
42in - 159
52in - 187
60in - 208

STANDARD EQUIPMENT




- Handheld Remote
- 6 Speed
- Motor Off
- Reverse



- Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

*For more information see accessory page. 132

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR5H-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

198 POSSIBLE VARIATIONS
Fan Finishes Blade Finishes
42”, 52”, 60”



BW
Barn Wood Tone



BK
Barn Wood Tone



BRBR
Brushed Brass



GA
Gray Ash Tone



BB
Brushed Bronze



LM
Light Maple Tone



BN
Brushed Nickel



BK
Matte Black



BP
Brushed Pewter



MWH
Matte White



WH
Gloss White



LM
Light Maple Tone



WA
Walnut Tone



BK
Matte Black



CR
Polished Chrome



TB
Textured Bronze



WN
Walnut Tone



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

132 POSSIBLE VARIATIONS

Irene-5HLK

Rustic Warmth with Striking Modernity

Its five meticulously crafted solid wood blades—available in matte black, matte white, walnut, or barn wood tone—come together in perfect harmony, while the sleek cylindrical motor housing enhances its minimalist profile. Now featuring a color-changing 5CCT light kit, the Irene-5HLK offers the power to shift between warm and cool light, creating the perfect ambiance for any occasion. The ability to adjust the color temperature and dim the light is effortlessly controlled from the elegant handheld remote, putting the perfect atmosphere at your fingertips. Constructed from durable cast aluminum and heavy stamped steel, the Irene-5HLK promises lasting beauty and performance, backed by a limited lifetime warranty for peace of mind.



Shown:

IR5HLK-CR-WA-60 Polished Chrome Finish, with 60" Walnut Tone Blades

See a similar look with a downrod, The Patricia 5 on pg. 100



NEW 5CCT LIGHT KIT

Shown:
IR5HLK-BK-BW-60 Matte Black Finish, with 60" Barn Wood Tone Blades



IR5HLK-LM-MWH-42
Light Maple Tone Finish,
with 42" Matte White Blades



IR5HLK-BN-BW-42
Brushed Nickel Finish,
with 42" Barn Wood Tone Blades



IR5HLK-BB-BK-52
Brushed Bronze Finish,
with 52" Matte Black Blades



IR5HLK-BN-WA-52
Brushed Nickel Finish,
with 52" Walnut Tone Blades



IR5HLK-BP-MWH-60
Brushed Pewter Finish,
with 60" Matte White Blades



IR5HLK-TB-BW-60
Textured Bronze Finish,
with 60" Barn Wood Tone Blades

PRODUCT FEATURES

- 5CCT Color Changing Light Kit
- DC Motor
- Silent Motor
- Handheld Remote
- Wall Control
- Dimmable Light Kit
- Damp Location

FAN FEATURES

Blades (5)
- 15° Pitch
- CNC Cut Solid Wood
Overall Drop 12in / 30cm
Fan Weight 13 lbs
Fan Diameter inches: 42, 52, 60
centimeters: 107, 132, 152, or 183
Voltage 110 or 220

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

STANDARD EQUIPMENT



Handheld Remote & Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control



**For more information see accessory page. 132*

DOE MOTOR EFFICIENCY DATA

RPM (Low/High)
42in - 51 / 210
52in - 51 / 169
60in - 51 / 97

CFM (Low/High)
42in - 861 / 4566
52in - 1212 / 5107
60in - 2116 / 3086

Watts (High)
42in - 31.66
52in - 31.12
60in - 30.78

CFM/Watt (High)
42in - 148
52in - 169
60in - 94


LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | Watts 22 | Hours 30,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 13.7 Years

DELIVERED LUMENS

2700K 1063
3000K 1088
4000K 1234
5000K 1221
6500K 1107

TECHNICAL SPECIFICATIONS



SKU BUILDER

IR5HLK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

132 POSSIBLE VARIATIONS

Fan Finishes Light Kit
Blade Finishes 42", 52", 60"



BW
Barn Wood Tone



BW
Barn Wood Tone



BRBR
Brushed Brass



BK
Matte Black



BB
Brushed Bronze



MWH
Matte White



BN
Brushed Nickel



WA
Walnut Tone



BP
Brushed Pewter



WH
Gloss White



LM
Light Maple Tone



BK
Matte Black



CR
Polished Chrome



TB
Textured Bronze



WN
Walnut Tone



Kaye

Vintage Charm and Modern Efficiency

Inspired by classic train cabin ventilators, its smooth 90° oscillation—left to right, forward and reverse—cools your space with poise and precision. With a low profile yet undeniable strength, the Kaye can be mounted on the wall or ceiling, perfect for small or awkward spaces. Crafted from durable cast aluminum and stamped steel, it enhances the efficiency of your HVAC system while offering timeless elegance. Backed by a limited lifetime warranty, the Kaye is built to last.



KC-CR Polished Chrome Finish



KC-WH
Gloss White Finish



KC-TB
Textured Bronze Finish



KC-BN
Brushed Nickel Finish

PRODUCT FEATURES

- AC** AC Motor
- 90°** 90° Oscillation
- Speaker Icon** Soothing White Noise
- Box Icon** Unipack Shipping
- Hand Icon** Wall Control
- Umbrella Icon** Damp Location


FAN FEATURES

Mounting Options Ceiling or Wall
Recommended Mounting Height
Approximately 24 in/61cm from ceiling
Fan Weight 10.5 lbs
Voltage 110 or 220
Ceiling Mount Overall Drop
17.5 inches / 44 cm
Fan Guard Safety Cage
Blade Pitch 31°

MOTOR FEATURES

Motor Type AC
Oscillation Yes
Ambiance Soothing White Noise
Safety Certification ETL/CETL
Warranty Limited Lifetime

TECHNICAL SPECIFICATIONS




SKU BUILDER

KC-XX
(Model+Finish)

FAN FINISHES


Fan Finishes
Metal Blades



BN
Brushed Nickel



TB
Textured Bronze



BK
Matte Black



WH
Gloss White



CR
Polished Chrome

DOE MOTOR EFFICIENCY DATA

RPM (Low/High) 1213 / 1495
CFM (Low/High) 868 / 1303
Watts (High) 47.68
CFM/Watt (High) 29

FAN DIAMETER

Fan Diameter 13 inches / 33 cm
Fan Height 13 inches / 33 cm
Fan Projection 17.5 inches / 44 cm

STANDARD EQUIPMENT

Safety Cage
Wall / Ceiling Mounting Bracket



Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off

Note:
1) A three-wire system is needed to operate the oscillation mechanism independent of the fan blades.



Laura

Effortless Comfort To Any Space

With its graceful left-to-right 90-degree oscillation, Laura delivers a cool, refreshing breeze with whisper-quiet precision, thanks to its advanced DC motor. The patented design allows for seamless remote control operation, offering you complete convenience, while its simple 2-wire installation makes setup a breeze. Compact yet powerful, Laura is ideal for small or awkward spaces, and can be elegantly mounted in front of HVAC ducts to enhance the efficiency of your heating, ventilation, or air conditioning. Crafted from durable cast aluminum and heavy stamped steel, backed by a limited lifetime warranty that ensures peace of mind for years to come.



PRODUCT FEATURES

- DC DC Motor
- Remote Control
- 90° 90° Rotation
- Unipack Shipping
- Damp Location

FAN FEATURES

Fan Weight 12 lbs
Blade Material Metal / ABS
Recommended Mounting Height
Approximately 24 in/61cm from ceiling
Fan Weight 12 lbs
Voltage 110
Fan Guard Safety Cage
Blade Pitch 31°

MOTOR FEATURES

Motor Type DC
Oscillation Yes
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

SKU BUILDER


LL-XX
(Model+Finish)

FAN FINISHES

Fan Finishes
Metal Blades



BN
Brushed Nickel



BK
Matte Black



TB
Texture Bronze

DOE MOTOR EFFICIENCY DATA

RPM (Low/High) 1213 / 1520
CFM (Low/High) 1056 / 1600
Watts (High) 28.1
CFM/Watt (High) 28

FAN DIAMETER

Fan Diameter 16 inches / 41 cm
Fan Height 14.5 inches / 37 cm
Fan Projection 19.5 inches / 50 cm

STANDARD EQUIPMENT


Safety Cage
Wall Mounting Bracket



Handheld Remote
- 3-speed
- Oscillation On/Off

**For more information see accessory page. 132*

TECHNICAL SPECIFICATIONS





12 POSSIBLE VARIATIONS

Lindsay

Breeze of Elegance

With two elegantly crafted solid wood blades, it quietly circulates air, while its sleek, understated motor housing adds subtle charm. Integrated into the design is an eco-friendly, dimmable LED light that offers lasting illumination. Available in matte black, matte white, and textured bronze, with blade options in barn wood tone, matte black, matte white, or walnut—this fan is a perfect blend of style and function. Crafted from cast aluminum and stamped steel, the Lindsay is backed by a limited lifetime warranty, promising enduring quality and beauty.



Shown:

LW-BK-WA Matte Black Finish, with Walnut Tone Blades



Shown:
LW-TB-MWH Textured Bronze Finish, with Matte White Blades



LW-BK-BK
Matte Black Finish,
with Matte Black Blades



LW-WH-WA
Gloss White Finish,
with Walnut Tone Blades



LW-BK-BW
Matte Black Finish,
with Barn Wood Tone Blades

PRODUCT FEATURES

- LED Light
- DC Motor
- Silent Motor
- Handheld Remote
- Wall Control
- Dimmable Light Kit
- Damp Location
- Unipack Shipping

FAN FEATURES

Blades CNC Cut Solid Wood
Overall Drop 12in / 30cm
Fan Weight 11 lbs
Fan Diameter 52 inches / 132 cm
Voltage 110 or 220

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 51 / 198
CFM (Low/High) 1097 / 4093
Watts (High) 29.61
CFM/Watt (High) 138
Blade Pitch 45°

LIGHT KIT
PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
Delivered Lumens 557
CRI 93.7 | **Watts** 17 | **Hours** 37,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 16.9 Years

STANDARD EQUIPMENT




Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

*For more information see accessory page. 132

TECHNICAL SPECIFICATIONS



SKU BUILDER

LW-XX-XXX
(Model+Finish+Blade)

FAN FINISHES

12 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
Light Kit 52"



BN
Brushed Nickel



BW
Barn Wood Tone



WH
Gloss White



BK
Matte Black



BK
Matte Black



MWH
Matte White



WA
Walnut Tone



Shown:
ME-TB Textured Bronze Finish

Melody

Masterpiece of Art Nouveau Design

With a gracefully arching gooseneck, the Melody exudes timeless beauty. Its 90° oscillation delivers a gentle, multi-directional breeze, filling your space with the perfect balance of air flow. Whether nestled in a cozy corner or positioned to enhance your HVAC system's efficiency, the Melody effortlessly blends form and function. Crafted from cast aluminum and heavy stamped steel, this fan is a lasting testament to quality, backed by a limited lifetime warranty. Let the Melody transform your space into a sanctuary of comfort and style.



ME-BK
Textured Bronze Finish



ME-TB
Textured Bronze Finish

PRODUCT FEATURES

- AC Motor
- Unpack Shipping
- Wall Control
- Damp Location
- 90° Oscillation

FAN FEATURES

- Fan Weight 14 lbs
- Blade Material Metal / ABS
- Recommended Mounting Height Approximately 24 inches / 61cm from ceiling
- Fan Weight 12 lbs
- Voltage 110 or 220
- Fan Guard Safety Cage
- Blade Pitch 31°

MOTOR FEATURES

- Motor Type AC
- Oscillation Yes
- Ambiance Soothing White Noise
- Safety Certification ETL / CETL
- Warranty Limited Lifetime

SKU BUILDER

ME-XX
(Model+Finish)

FAN FINISHES

Fan Finishes
Metal Blades



BK
Matte Black



TB
Texture Bronze

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High) 1213 / 1495
- CFM (Low/High) 868 / 1303
- Watts (High) 47.68
- CFM/Watt (High) 48

FAN DIAMETER

- Fan Diameter 13 inches / 33 cm
- Fan Height 20 inches / 51 cm
- Fan Projection 20 inches / 51 cm

STANDARD EQUIPMENT

Safety Cage
Wall Mounting Bracket




Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off

Note:
1) A three-wire system is needed to operate the oscillation mechanism independent of the fan blades.

*For more information see accessory page. 132

TECHNICAL SPECIFICATIONS



DESIGNED BY

EXTENDED FINISHES

21 POSSIBLE VARIATIONS

Stephen Katz

STEPHEN KATZ, AIA

Molly

“Geometry In Motion” - Stephen Katz

Designed by the visionary Chicago architect Stephen Katz in 2018, the Molly Ceiling Fan seamlessly blends modern organic geometry with exceptional performance and timeless functionality. Its uniquely sculpted blades, crafted through advanced computer software, embody a complex yet harmonious form, resulting in a design that feels both clean and naturally contemporary. Effortlessly complementing a wide range of décor styles. Constructed with precision from cast aluminum and heavy stamped steel, the Molly is not only a work of art but also a lasting testament to durability, backed by a limited lifetime warranty. Bring an elevated sense of style and tranquility to your space with the perfect fusion of form and function.



Shown:

MK-WH-GA Gloss White Finish, with Gray Ash Tone Blades



Shown:
MK-BK-BW Matte Black Finish, with Barn Wood Tone Blades



MK-WH-OO
Gloss White Finish,
with Old Oak Tone Blades



MK-BN-WA
Brushed Nickel Finish,
with Walnut Tone Blades



MK-BN-BN
Brushed Nickel Finish,
with Brushed Nickel Blades



MK-WH-BN
Gloss White Finish,
with Brushed Nickel Blades



MK-BN-GA
Brushed Nick Finish,
with Gray Ash Tone Blades



MK-BK-BK
Matte Black Finish,
with Matte Black Blades

PRODUCT FEATURES

- DC

DC Motor
- Silent Motor

Silent Motor
- Handheld Remote

Handheld Remote
- 30°

30° Slant Ceiling Canopy
- Wall Control

Wall Control
- Wet Location

Wet Location
- Unipack Shipping

Unipack Shipping
- 60°

Optional 60° Slant Mount

FAN FEATURES

Blades (3)
- 45° Blade Pitch
- ABS

Overall Drop 12 inches /30 cm
+downrod length

Fan Weight 17 lbs

Fan Diameter 56 inches / 142 cm

Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded

Downrod Diameter 1 inch

Voltage 110 or 220

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 49 / 113

CFM (Low/High) 1556 / 3651

Watts (High) 29.96

CFM/Watt (High) 126

Blade Pitch 45°

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°




Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

MK-XX-XX
(Model+Finish+Blade)

FAN FINISHES

21 POSSIBLE VARIATIONS

Fan Finishes No Light Kit	Blade Finishes 56"
------------------------------	-----------------------



BN
Brushed Nickel



BW
Barn Wood Tone



WH
Gloss White



BN
Brushed Nickel



BK
Matte Black



WH
Gloss White



GA
Gray Ash Tone



BK
Matte Black



OO
Old Oak Tone



WA
Walnut Tone




NEW BLADE DESIGN

48 POSSIBLE VARIATIONS

Mollywood

Timeless Sophistication

Mollywood's exquisitely sculpted blades—crafted using advanced design technology—achieve a striking yet harmonious form, creating a sense of effortless motion and refined beauty. Mollywood seamlessly complements a variety of interior styles. Whether gracing a sleek contemporary loft or a warm, rustic retreat, it makes an unforgettable statement of elegance and function. Crafted from cast aluminum and heavy stamped steel, this fan is built to last, backed by a limited lifetime warranty—a timeless piece of design that brings both serenity and sophistication to any space.



Shown:


MW-TB-WA-60 Textured Bronze Finish, with 60" Walnut Tone Blades
See a similar look in a Ceiling Mount, The Irene 3H on pg. 50



Shown:
MW-MWH-BK-60 Matte Brushed Brass Finish, with 60" Matte Black Blades



MW-TB-WA-42
Textured Bronze Finish,
with 42" Walnut Tone Blades



MW-BRBR-BW-42
Brushed Brass Finish,
with 42" Barn Wood Tone Blades



MW-TB-BK-52
Textured Bronze Finish,
with 52" Matte Black Blades



MW-MWH-WA-52
Matte White Finish,
with 52" Walnut Tone Blades



MW-BK-BW-60
Matte Black Finish,
with 60" Barn Wood Tone Blades



MW-BK-BK-60
Matte Black Finish,
with 60" Matte Black Blades

PRODUCT FEATURES

- DC

DC Motor
- Silent

Silent Motor
- Handheld

Handheld Remote
- 30°

30° Slant Ceiling Canopy
- Wall

Wall Control
- Damp

Damp Location
- Unpack

Unpack Shipping
- 60°

Optional 60° Slant Mount

FAN FEATURES

- Blades (3)
 - 45° Blade Pitch
 - CNC Cut Solid Wood
- Overall Drop 12 inches /30 cm +downrod length
- Fan Weight 18 lbs
- Fan Diameter inches: 42, 52 or 60
centimeters: 107, 132 or 152
- Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122, 153, 183
Field cuttable, Non-threaded
- Downrod Diameter 1 inch
- Voltage 110 or 220


MOTOR FEATURES

- Motor Type DC
- Ambience Silent
- Safety Certification ETL / CETL
- Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High)
42in - 49 / 216
52in - 50 / 146
60in - 50 / 115
- CFM (Low/High)
42in - 1077 / 4864
52in - 1774 / 5504
60in - 2504 / 5882
- Watts (High)
42in - 31.68
52in - 31.60
60in - 34.35
- CFM/Watt (High)
42in - 84
52in - 88
60in - 83

TECHNICAL SPECIFICATIONS



SKU BUILDER

MK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

48 POSSIBLE VARIATIONS
Fan Finishes **Blade Finishes**
No Light Kit 42" 52" 60"



BRBR
Brushed Brass



BW
Barn Wood Tone



BK
Matte Black



BK
Matte Black




MWH
Matte White



MWH
Matte White



TB
Textured Bronze



WA
Walnut Tone

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*



DESIGNED BY

72 POSSIBLE VARIATIONS


Stephen Katz

STEPHEN KATZ, AIA

Nan

“Geometry In Motion” - Stephen Katz

Striking the perfect balance between form and function, Nan blends seamlessly into any space—whether a cozy living room, a sophisticated dining area, or a stylish office. Its presence is subtle yet refined, offering just the right amount of modern charm for any setting, from casual retreats to formal interiors. With fully adjustable motor speeds, Nan delivers the perfect breeze for any season, making comfort effortless. Thoughtfully designed to feel like a natural extension of your space, it enhances the ambiance with both beauty and performance. For grander rooms, the Nan XL offers the same timeless elegance on a larger scale.



Shown:


NK-BK-GA-60 Matte Black Finish, with 60" Gray Ash Tone Blades
See a similar look in a Ceiling Mount, The Irene 3H on pg. 50



Shown:
NK-BK-WA-60 Matte Black Finish, with 60” Walnut Tone Blades




NK-BRBR-BK-42
Brushed Brass Finish,
with 42” Matte Black Blades



NK-MWH-BW-42
Matte White Finish,
with 42” Barn Wood Tone Blades



NK-BK-BK-52
Matte Black Finish,
with 52” Matte Black Blades



NK-BRBR-LM-52
Brushed Brass Finish,
with 52” Light Maple Tone Blades



NK-TB-BK-60
Textured Bronze Finish,
with 60” Matte Black Blades



NK-MWH-GA-60
Matte White Finish,
with 60” Gray Ash Tone Blades

PRODUCT FEATURES

- DC

DC Motor
- Silent

Silent Motor
- Handheld

Handheld Remote
- 30°

30° Slant Ceiling Canopy
- Wall

Wall Control
- Damp

Damp Location
- Unipack

Unipack Shipping
- 60°

Optional 60° Slant Mount

FAN FEATURES

Blades (3)
- 45° Blade Pitch
- CNC Cut Solid Wood

Overall Drop 12 inches /30 cm
+downrod length

Fan Weight 18 lbs

Fan Diameter inches: 42, 52 or 60
centimeters: 107, 132 or 152

Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded

Downrod Diameter 1 inch

Voltage 110 or 220

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA


RPM (Low/High)
42in - 50 / 267
52in - 50 / 181
60in - 50 / 141

CFM (Low/High)
42in - 884 / 5281
52in - 1695 / 6723
60in - 2376 /7063

Watts (High)
42in - 28.43
52in - 29.14
60in - 30.16

CFM/Watt (High)
42in - 175
52in - 231
60in - 248

TECHNICAL SPECIFICATIONS



SKU BUILDER

NK-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

72 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
No Light Kit 42” 52” 60”



BRBR
Brushed Brass



BW
Barn Wood Tone



BK
Matte Black



LM
Light Maple Tone




MWH
Matte White



BK
Matte Black



TB
Textured Bronze



MWH
Matte White



WA
Walnut Tone

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*



DESIGNED BY

24 POSSIBLE VARIATIONS

Stephen Katz

STEPHEN KATZ, AIA

Nan XL

“Geometry In Motion” - Stephen Katz

With its graceful presence and impeccable balance, Nan XL effortlessly enhances any room, offering a refreshing breeze with fully adjustable motor speeds to suit every season. Whether gracing a grand living space or elevating a stylish commercial setting, it feels like a natural extension of its surroundings—quietly powerful, effortlessly elegant. For more compact spaces, the standard Nan fan is available in 42”, 52”, and 60” diameters, ensuring the perfect fit for any design vision. Experience the harmony of innovation and beauty with Nan XL—a ceiling fan that transcends function to become a statement of refined sophistication.



Shown:

NKXL-BRBR-WA-72 Brushed Brass Finish, with 72" Walnut Tone Blades
See a similar look in a Ceiling Mount, The Irene 3H on pg. 50




Shown:
NKXL-BK-LM-72 Matte Black Finish, with 72" Light Maple Tone Blades



NKXL-TB-BK-72
Textured Bronze Finish,
with 72" Matte Black Blades

NKXL-BK-BK-72
Matte Black Finish,
with 72" Matte Black Blades



NKXL-BK-GA-72
Matte Black Finish,
with 72" Gray Ash Tone Blades

NKXL-MWH-WA-72
Matte White Finish,
with 72" Walnut Tone Blades



NKXL-TB-LM-72
Textured Bronze Finish,
with 72" Light Maple Tone Blades

NKXL-BRBR-MWH-72
Brushed Brass Finish,
with 72" Matte White Blades

PRODUCT FEATURES

- DC Motor
- Silent Motor
- Handheld Remote
- 30° Slant Ceiling Canopy
- Wall Control
- Damp Location
- Unipack Shipping
- Optional 60° Slant Mount

FAN FEATURES

Blades (3)
- 15° Blade Pitch
- CNC Cut Solid Wood

Overall Drop 12 inches / 30 cm
+downrod length

Fan Weight 19 lbs

Fan Diameter inches: 72
centimeters: 183

Downrod Lengths
inches: 5, 10, 18, 24, 36, 48,
60, 72
centimeters: 13, 25, 46, 61,
92, 122, 153, 183
Field cuttable, Non-threaded

Downrod Diameter 1 inch

Voltage 110 or 220

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High) 50 / 102

CFM (Low/High) 3892 / 8681

Watts (High) 32

CFM/Watt (High) 302

STANDARD EQUIPMENT

Downrod 10in / 25cm

Slant Ceiling Canopy 30°




Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

NKXL-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

24 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
No Light Kit 72"



BRBR
Brushed Brass



BW
Barn Wood Tone



BK
Matte Black



GA
Gray Ash Tone



LM
Light Maple Tone



MWH
Matte White



BK
Matte Black



TB
Textured Bronze



MWH
Matte White



WA
Walnut Tone



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

72 POSSIBLE VARIATIONS

Patricia 3

Effortless Elegance, Unmatched Performance

The Patricia-3 Ceiling Fan seamlessly blends innovation with timeless sophistication. Its sleek, minimalist form conceals a powerful yet whisper-quiet performance, creating an atmosphere of serenity and style in any residential or commercial space. At its heart, gracefully sculpted blades glide around a perfectly balanced cylindrical DC motor housing, ensuring seamless airflow with barely a sound. Now enhanced with a new 5CCT color-changing light kit, the fully dimmable LED illumination can be adjusted to suit any mood or setting, all effortlessly controlled from the handheld remote. Built to endure with cast aluminum and heavy stamped steel, the Patricia-3 is as durable as it is beautiful, backed by a limited lifetime warranty. More than a ceiling fan, it's a statement of refined elegance, designed to elevate any space with quiet luxury, customizable lighting, and effortless efficiency.



Shown:

PA3-BN-WA-60 Brushed Nickel Finish, with 60" Walnut Tone Blades
See a similar look in a Ceiling Mount, The Irene 3HLK on pg. 54



NEW 5CCT LIGHT KIT

Shown:
PA3-WH-BW-60 Matte White Finish, with 60" Barn Wood Tone Blades



PA3-BK-WA-42
Matte Black Finish,
with 42" Walnut Tone Blades



PA3-CR-BK-52
Polished Chrome Finish,
with 52" Matte Black Blades



PA3-BRBR-MWH-60
Brushed Brass Finish,
with 60" Matte White Blades



PA3-TB-WA-60
Textured Bronze Finish,
with 60" Walnut Tone Blades

PRODUCT FEATURES

- LED 5CCT Color Changing Light Kit
- DC Motor
- Silent Motor
- Handheld Remote
- Optional 60° Slant Mount
- Wall Control
- Dimmable Light Kit
- Damp Location
- 30° 30° Slant Ceiling Canopy

FAN FEATURES

Blades (3)
- 15° Blade Pitch
- CNC Cut Solid Wood
Overall Drop 14 inches / 36 cm
+downrod length
Fan Weight 19 lbs
Fan Diameter inches: 42, 52 or 60
centimeters: 107, 132 or 152
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Voltage 110 or 220

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

LIGHT KIT
PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | **Watts** 22 | **Hours** 30,000
Dimmable

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High)
42in - 52 / 261
52in - 51 / 192
60in - 51 / 154
CFM (Low/High)
42in - 860 / 5137
52in - 1283 / 6792
60in - 2113 / 7387


Watts (High)
42in - 28.43
52in - 29.14
60in - 30.16

CFM/Watt (High)
42in - 166
52in - 220
60in - 244

DELIVERED LUMENS

2700K 1063 **5000K** 1221
3000K 1088 **6500K** 1107
4000K 1234

TECHNICAL SPECIFICATIONS



SKU BUILDER

PA3-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

72 POSSIBLE VARIATIONS
Fan Finishes **Blade Finishes**
Light Kit 42" 52" 60"



BRBR
Brushed Brass



BW
Barn Wood Tone



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



MWH
Matte White



BK
Matte Black



WA
Walnut Tone



CR
Polished Chrome



TB
Textured Bronze

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote & Wireless Wall Control

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control



**For more information see
accessory page. 132*



NEW 5CCT LIGHT KIT

5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

72 POSSIBLE VARIATIONS

Patricia 5

Timeless Elegance, Effortless Comfort

A seamless blend of innovation and sophistication, the Patricia-5 Ceiling Fan is a statement of refined beauty and quiet strength. Designed to complement both residential retreats and upscale commercial spaces, its graceful form enhances any environment with a sense of effortless luxury. Now featuring a new 5CCT color-changing light kit, this fan offers fully dimmable illumination, allowing you to tailor the ambiance to any mood or setting—all conveniently controlled with a handheld remote. Built to endure, the Patricia-5 is constructed from cast aluminum and heavy stamped steel, ensuring both durability and timeless appeal. Backed by a limited lifetime warranty, this fan is more than just a cooling solution—it's an elegant fusion of form, function, and customizable comfort, designed to elevate every space with quiet sophistication.



Shown:

PA5-TB-MWH-60 Textured Bronze Finish, with 60" Matte White Blades

See a similar look in a Ceiling Mount, The Irene 5HLK on pg. 66

NEW 5CCT LIGHT KIT



Shown:
PA5-BK-WA-60 Matte Black Finish, with 60" Walnut Tone Blades



PA5-BRBR-BK-42
Brushed Brass Finish,
with 42" Matte Black Blades



PA5-BN-MWH-52
Brushed Nickel Finish,
with 52" Matte White Blades



PA5-CR-BW-60
Polished Chrome Finish,
with 60" Barn Wood Tone Blades



PA5-WH-WA-60
Gloss White Finish,
with 60" Walnut Tone Blades

PRODUCT FEATURES

- LED 5CCT Color Changing Light Kit
- DC DC Motor
- Silent Motor
- Handheld Remote
- Optional 60° Slant Mount
- Wall Control
- Dimmable Light Kit
- Damp Location
- 30° 30° Slant Ceiling Canopy

FAN FEATURES

Blades (5)
- 15° Blade Pitch
- CNC Cut Solid Wood
Overall Drop 14 inches / 36 cm
+downrod length
Fan Weight 19 lbs
Fan Diameter inches: 42, 52 or 60
centimeters: 107, 132 or 152
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Voltage 110 or 220

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

LIGHT KIT
PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
CRI 90 | **Watts** 22 | **Hours** 30,000
Dimmable

DOE MOTOR
EFFICIENCY DATA

RPM (Low/High)
42in - 53 / 243
52in - 51 / 169
60in - 51 / 93
CFM (Low/High)
42in - 917 / 5256
52in - 1398 / 6499
60in - 3247 / 6437


Watts (High)
42in - 28.43
52in - 29.14
60in - 30.16

CFM/Watt (High)
42in - 170
52in - 251
60in - 224

DELIVERED LUMENS

2700K 1063 **5000K** 1221
3000K 1088 **6500K** 1107
4000K 1234
Light Kit Longevity if used
6 Hours/Day: 16.9 Years

TECHNICAL SPECIFICATIONS



SKU BUILDER

PA5-XXXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

72 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
Light Kit 42" 52" 60"



BRBR
Brushed Brass



BW
Barn Wood Tone



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



MWH
Matte White



BK
Matte Black



WA
Walnut Tone



CR
Polished Chrome



TB
Textured Bronze

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote & Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control



**For more information see
accessory page. 132*

NEW FAN
COMING 2026



Shown:

SS-BN-BN-52 Brushed Nickel Finish, with 52" Brushed Nickel Blades

Steven

Sleek Simplicity

The Steven Ceiling Fan blends minimalist design with powerful performance, making it ideal for any space. Available in 42" and 52" plywood blades, it comes in three finishes with matching blade options to suit your style. An integrated 3000K LED light kit, pull chain, and optional wall control offer convenience, while its damp-rated durability ensures versatility. Backed by a limited lifetime warranty, the Steven delivers timeless elegance and quiet efficiency for years to come.



SS-MWH-MWH-52 Matte White Finish with 52" Matte White Blades



SS-BK-BK-42
Matte Black Finish
with 42" Matte Black Blades



SS-BN-BN-42
Brushed Nickel Finish
with 42" Silver Blades

PRODUCT FEATURES

- LED LED Light
- AC AC Motor
- Silent Motor
- 30° 30° Slant Ceiling Canopy
- Unipack Shipping
- Dry Location
- Accessory Wall Control See page. 00
- Optional 60° Slant Mount

FAN FEATURES

Fan Diameter 42 inches / 107 cm
52 inches / 132 cm

Fan Weight 17 lbs

Blade Material Plywood

Overall Drop 11.5 inches / 29 cm +
downrod length

Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183

Field cuttable, Non-threaded

Downrod Diameter 1 inch

Voltage 110

Blade Pitch 14°

MOTOR FEATURES

Motor Type AC


Reversible Yes

Ambiance Silent

Safety Certification ETL / CETL

Warranty Limited Lifetime

TECHNICAL SPECIFICATIONS



SKU BUILDER

SS-XX-XX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

Fan Finishes Matching Blades	Blade Finishes 42" 52"
BN Brushed Nickel	BN Brushed Nickel
BK Matte Black	BK Matte Black
MWH Matte White	MWH Matte White

DOE MOTOR EFFICIENCY DATA

RPM (Low/High)	Watts (High)
42in - 113 / 257	42in - 54.24
52in - 62 / 154	52in - 56.02
CFM (Low/High)	CFM/Watt (High)
42in - 2042 / 4624	42in - 100
52in - 2004 / 5031	52in - 103

LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)
Integrated LED

Temperature in K 3000

Delivered Lumens 657

CRI 90 | **Watts** 18 | **Hours** 30,000

Pull Chain

*Light kit longevity if used
6 Hours/Day: 13.7 Years*

STANDARD EQUIPMENT

One downrod of 5 inches / 12.7 cm

Pull Chain

Vaulted ceiling canopy for up to 30°

**For more information see
accessory page. 132*



48 POSSIBLE VARIATIONS

Super Janet

Bold Elegance, Effortless Power

The Super Janet Ceiling Fan commands attention with its striking form and solid construction, making it the true heroine of any space—whether a sleek urban loft or a refined commercial setting. Crafted from cast aluminum and heavy stamped steel, its whisper-quiet DC motor effortlessly turns solid wood blades, creating a smooth and serene airflow. Adding both function and beauty, an eco-conscious LED light kit provides warm illumination, complete with a sleek light cover for a polished finish. With its blend of sophistication, efficiency, and sustainable innovation, the Super Janet is more than a ceiling fan—it's a statement of style and performance, built to last a lifetime and backed by a limited lifetime warranty.



Shown:

SJ-BK-WA-60 Matte Black Finish, with 60" Walnut Tone Blades



Shown:
SJ-BK-BK-60 Matte Black Finish, with 60" Matte Black Blades



SJ-BN-WN-42
Brushed Nickel Finish,
with 42" Walnut Tone Blades



SJ-BK-BW-52
Matte Black Finish,
with 52" Barn Wood Tone Blades



SJ-MWH-MWH-60
Matte White Finish,
with 60" Matte White Blades



SJ-TB-WN-60
Textured Bronze Finish,
with 60" Walnut Tone Blades

PRODUCT FEATURES

- LED** LED Light
- DC** DC Motor
- Silent** Silent Motor
- Handheld** Handheld Remote
- 30°** 30° Slant Ceiling Canopy
- Wall** Wall Control
- Dimmable** Dimmable Light Kit
- Damp** Damp Location
- Unipack** Unipack Shipping
- 60°** Optional 60° Slant Mount

FAN FEATURES

Blades (3)
- 15° Blade Pitch
- CNC Cut Solid Wood
Overall Drop 12 inches / 30 cm
+downrod length
Fan Weight 17 lbs
Fan Diameter inches: 42, 52 or 60
centimeters: 107, 132 or 152
Downrod Lengths
inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183
Field cuttable, Non-threaded
Downrod Diameter 1 inch
Voltage 110

LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)
Integrated LED
Temperature in K 2776
Delivered Lumens 419
CRI 94 | **Watts** 18 | **Hours** 50,000
Dimmable
Light Kit Longevity if used
6 Hours/Day: 16.9 Years


DOE MOTOR EFFICIENCY DATA

RPM (Low/High)
42in - 50 / 153
52in - 50 / 184
60in - 51 / 150
CFM (Low/High)
42in - 794 / 4393
52in - 1381 / 4871
60in - 2090 / 6084
Watts (High)
42in - 28.43
52in - 29.14
60in - 30.16
CFM/Watt (High)
42in - 142
52in - 161
60in - 201

MOTOR FEATURES

Motor Type DC
Ambience Silent
Safety Certification ETL / CETL
Warranty Limited Lifetime

TECHNICAL SPECIFICATIONS




SKU BUILDER

SJ-XXX-XXX-XX
(Model+Finish+Blade+Diameter)

FAN FINISHES

48 POSSIBLE VARIATIONS

Fan Finishes **Blade Finishes**
Light Kit 42" 52" 60"



BN
Brushed Nickel



BW
Barn Wood Tone



MWH
Matte White



BK
Matte Black



BK
Matte Black



MWH
Matte White



TB
Textured Bronze



WA
Walnut Tone

STANDARD EQUIPMENT

Downrod 10in / 25cm
Slant Ceiling Canopy 30°



Handheld Remote
- 6 Speed
- Motor Off
- Reverse



Wireless Wall Control
- 6 Speed
- Motor Off
- Reverse

**For more information see
accessory page. 132*

Matthews - Gerbar

Matthews - Gerbar is where our story begins—a legacy born of artistry, intention, and global collaboration.

In 1992, founder Chuck Matthews partnered with Gerbar Ventiladores of Brazil, giving rise to the very first collection that would define Matthews Fan Company. What emerged was more than a fan line - it was a celebration of timeless design and masterful craftsmanship. Today, Matthews - Gerbar continues to enchant designers and architects worldwide with its refined silhouettes, sculptural grace, and unmistakable presence.

Each fan is **lovingly handcrafted in Brazil**, where the rhythm of tradition meets the richness of material. From deep mahogany

blades to luminous **live metal finishes**, every element is selected for beauty and endurance. With bespoke Pantone color options, Matthews - Gerbar invites true personalization—transforming each fan into a singular work of art that reflects the space it inhabits.

This is not fast design - it's thoughtful creation. The artisanal process requires patience, with **lead times of 10 to 12 weeks**, but the reward is a fan that transcends function. It becomes a statement. A conversation. A piece with soul.

With Matthews - Gerbar, every curve is considered, every finish tells a story, and every fan is built not only to last—but to be loved.






Shown:
AR-LTBLUE-MTL Agua Marinha Finish, with Metal Blades

Ar Ruthiane

Timeless Elegance and Engineering Precision

Its graceful hourglass support arms embrace bullet-shaped motor housings, effortlessly rotating 360° around a sculptural teardrop center. Designed for unparalleled airflow control, its fan heads can be infinitely positioned in sweeping 180-degree arcs, allowing for optimal circulation tailored to any space. The steeper the angle, the faster the rotation—creating a mesmerizing dance of movement while delivering exceptional comfort and efficiency. Unlike traditional paddle fans, the Ar Ruthiane’s rotation enhances both heating and cooling systems, ensuring a energy-efficient environment. Crafted from cast aluminum, heavy spun, and stamped steel, this fan is built to last, backed by a limited lifetime warranty.



Shown:
AR-BK-MTL Matte Black Finish with Metal Blades



AR-BN-WD
Brushed Nickel Finish,
with Mahogany Tone Blades



AR-BZZT-WD
Bronzette Finish,
with Mahogany Tone Blades

FAN FINISHES

Standard Finishes

Metal Blades



BK
Matte Black



BZZT
Bronzette



BN
Brushed Nickel

Blade Finishes

Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass	
BRCP	Brushed Copper	
PB	Polished Brass	
CR	Polished Chrome	
CP	Polished Copper	
CRDAMP	Polished Chrome Damp	
BNDAMP	Brushed Nickel Damp	
WH	Gloss White	
LTBLUE	Agua Marinha	
LTPURPLE	Ametista	
BKN	Black Nickel	
GREEN	Esmeralda	
RED	Rubi	
BLUE	Safira	

TECHNICAL SPECIFICATIONS



SKU BUILDER

AR-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- | | |
|--------------------------|------------------------|
| AC Motor | Hand Made |
| Wall Control | Damp Location |
| 360° Rotation | Unipack Shipping |
| Optional 29° Slant Mount | Safety Cage Compatible |

FAN FEATURES

Fan Weight 21 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30, 48, 72
centimeters: 13, 25, 51, 76, 122, 183
Field cuttable, Non-threaded
Downrod Diameter 0.75 inch
Overall Drop 12in / 30cm + downrod length
Fan Diameter
Solid Wood - 48 inches / 122 cm
Metal with Guard - 46 inches / 117 cm
Fan Blade Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage

RPM (Low/High)	CFM/Watt (High)
Wood - 723 / 1308	Wood - 48
Metal - 591 / 1075	Metal - 23

CFM (Low/High)	Blade Pitch
Wood - 2644 / 4724	Wood - 19°
Metal - 1215 / 2371	Metal - 31°

Watts (High)
Wood - 96.94
Metal - 103.53

STANDARD EQUIPMENT

Downrod 10in / 25cm
Flat Ceiling Canopy



Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off
**For more information see
accessory page. 132*



Shown:

BD-BKN-WD Black Nickel Finish, with Mahogany Tone Blades

Bianca Direcional

Form and Function

The Bianca Direcional innovative fan head, effortlessly adjustable in a sweeping 180-degree arc, ensures that every breath of air flows exactly where you need it, whether forward or reverse. The Bianca excels in both efficiency and elegance, making it ideal for even the most challenging spaces – from cozy rooms to areas near HVAC ducts, it enhances the effectiveness of your heating, ventilation, and air conditioning. Crafted with precision from durable cast aluminum and expertly spun and stamped steel, the Bianca Direcional is built to last. With the peace of mind that comes with a limited lifetime warranty, this fan not only cools your space but elevates it, turning any room into a sanctuary of comfort.



BD-BN-MTL
Brushed Nickel Finish,
with Metal Blades



BD-BZZT-WD
Bronzette Finish,
with Mahogany Tone Blades

FAN FINISHES

Standard Finishes

Metal Blades



BK
Matte Black



BZZT
Bronzette



BN
Brushed Nickel

Blade Finishes

Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass	
BRCP	Brushed Copper	
PB	Polished Brass	
CR	Polished Chrome	
CP	Polished Copper	
CRDAMP	Polished Chrome Damp	
BNDAMP	Brushed Nickel Damp	
WH	Gloss White	
LTBLUE	Agua Marinha	
LTPURPLE	Ametista	
BKN	Black Nickel	
GREEN	Esmeralda	
RED	Rubi	
BLUE	Safira	

TECHNICAL SPECIFICATIONS



SKU BUILDER

BD-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- AC** AC Motor
- Hand Made
- Wall Control
- Damp Location
- 180° Adjustable
- Unipack Shipping
- Safety Cage Compatible

FAN FEATURES

Fan Weight 7 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30
centimeters: 13, 25, 51, 76 *Field cuttable, Non-threaded*
Downrod Diameter 0.75 inch
Overall Drop Metal Blades - 12in / 30cm
+ downrod length
Wood Blades - 16 inches / 41 cm
+ downrod length
Fan Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard 13 inches / 33 cm
Fan Blade Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage

RPM (Low/High) **CFM/Watt (High)**
Wood - 926 / 1280 **Wood** - 48
Metal - 615 / 1149 **Metal** - 24

CFM (Low/High) **Blade Pitch**
Wood - 1568 / 2274 **Wood** - 19°
Metal - 814 / 1199 **Metal** - 31°

Watts (High)
Wood - 47.46
Metal - 49

STANDARD EQUIPMENT

Downrod 10in / 25cm
Flat Ceiling Canopy



Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off


**For more information see accessory page. 132*



Brisa 2000

Designed For Ultimate Versatility

Like celestial bodies gracefully orbiting in the night sky, the Brisa Ceiling Fan brings movement, elegance, and function together in perfect harmony. Its lunar-inspired counterweight revolve effortlessly around a striking spherical gear housing, creating a mesmerizing 360° motion. The fan head adjusts within a 180-degree arc, allowing for precise, optimized airflow. The steeper the tilt, the faster the axial rotation, offering a dynamic yet controlled breeze tailored to your comfort. The Brisa enhances the efficiency of heating and air conditioning, circulating air with effortless sophistication. Crafted from cast aluminum, heavy spun, and stamped steel, this masterpiece of design and engineering is built to last—and backed by a limited lifetime warranty.



Shown:

B2K-BK-MTL Matte Black Finish with Metal Blades

FAN FINISHES

Standard Finishes

Metal Blades



BK
Matte Black



BZZT
Bronzette



BN
Brushed Nickel

Blade Finishes


Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass
BRCP	Brushed Copper
PB	Polished Brass
CR	Polished Chrome
CP	Polished Copper
CRDAMP	Polished Chrome Damp
BNDAMP	Brushed Nickel Damp
WH	Gloss White
LTBLUE	Agua Marinha
LTPURPLE	Ametista
BKN	Black Nickel
GREEN	Esmeralda
RED	Rubi
BLUE	Safira



TECHNICAL SPECIFICATIONS



SKU BUILDER

B2K-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- | | |
|--------------------------|------------------------|
| AC Motor | Hand Made |
| Wall Control | Damp Location |
| 360° Rotation | Unipack Shipping |
| Optional 29° Slant Mount | Safety Cage Compatible |

FAN FEATURES

Fan Weight 21 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30, 48, 72
centimeters: 13, 25, 51, 76, 122, 183
Field cuttable, Non-threaded
Downrod Diameter 0.75 inch
Overall Drop 10 inches / 25 cm
+ downrod length
Fan Diameter
Solid Wood - 40 inches / 102 cm
Metal with Guard - 39 inches / 99 cm
Fan Blade Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage
RPM (Low/High) **CFM/Watt (High)**
Wood - 866 / 1363 **Wood** - 45
Metal - 790 / 1205 **Metal** - 23

CFM (Low/High) **Blade Pitch**
Wood - 1602 / 2376 **Wood** - 19°
Metal - 790 / 1265 **Metal** - 31°
Watts (High)
Wood - 52.44
Metal - 55.15

STANDARD EQUIPMENT

Downrod 10in / 25cm
Flat Ceiling Canopy



Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off
**For more information see accessory page. 132*



Shown:
BP-CP Polished Copper Finish

Bruna Parede

Elegant Craftsmanship

A tribute to the of early 20th-century wall fans, the Bruna Parede blends vintage charm with modern engineering to create a timeless statement of both style and function. Its gracefully designed fan head glides effortlessly within 180-degree vertical and horizontal arcs, allowing for infinite positioning to direct airflow exactly where it's needed. Whether tucked into a cozy corner, mounted in a stylish lounge, or placed near an HVAC duct to enhance heating and cooling efficiency, the Bruna Parede transforms any space into a haven of comfort. Crafted with precision from cast aluminum, heavy spun, and stamped steel, this masterpiece of durability and design is built to last—backed by a limited lifetime warranty.



BP-BK Matte Black Finish BP-BN Brushed Nickel Finish BP-BZZT Bronzette Finish

FAN FINISHES

Standard Finishes
Metal Blades



BK
Matte Black



BZZT
Bronzette



BN
Brushed Nickel


Blade Finishes
Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass
BRCP	Brushed Copper
PB	Polished Brass
CR	Polished Chrome
CP	Polished Copper
CRDAMP	Polished Chrome Damp
BNDAMP	Brushed Nickel Damp
WH	Gloss White
LTBLUE	Agua Marinha
LTPURPLE	Ametista
BKN	Black Nickel
GREEN	Esmeralda
RED	Rubi
BLUE	Safira



TECHNICAL SPECIFICATIONS



SKU BUILDER

BP-XXXX
(Model+Finish)

PRODUCT FEATURES

- AC AC Motor
- Hand Made
- Wall Control
- Damp Location
- 180° 180° Adjustable
- Unipack Shipping
- Safety Cage Compatible

FAN FEATURES

- Fan Weight 8 lbs
- Voltage 110 or 220
- Blade Material Metal
- Fan Guard Safety Cage
- Oscillation No
- Fan Diameter 13 inches / 33 cm
- Fan Height 21 inches / 51 cm
- Fan Projection 16 inches / 41 cm
- Recommended Mounting Height
Approximately 24 inches / 61 cm
from ceiling

MOTOR FEATURES

- Motor Type AC
- Ambiance Soothing White Noise
- Safety Certification UL / CUL
- Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

- RPM (Low/High) 1020 / 1418
- CFM (Low/High) 839 / 1181
- Watts (High) 49
- CFM/Watt (High) 49
- Blade Pitch 31°

STANDARD EQUIPMENT

- Safety Cage
- Side-mounted Wall Junction Box



Wall Control
Requires three-wire system
- 3-speed

*For more information see
accessory page. 132




Shown:
DD-BN-WD Black Nickel Finish, with Mahogany Tone Blades

Duplo-Dimanico

Timeless Sophistication and Impeccable Artistry

Duplo-Dimanico’s striking design, unmatched in quality and durability, has inspired imitation—but never duplication. The twin fan heads, effortlessly adjustable within 180-degree arcs, create a mesmerizing dance of air circulation, adapting seamlessly to your comfort needs. The steeper the angle, the faster the rotation, offering a balance of dynamic movement and gentle control. More than just a fan, the Duplo-Dimanico enhances the efficiency of heating and cooling, enveloping any space in perfectly balanced airflow. Crafted from cast aluminum, heavy spun, and stamped steel, this statement piece is built to endure—backed by a limited lifetime warranty.



DD-BK-MTL
Matte Black Finish,
with Metal Blades

DD-BN-WD
Brished Nickel Finish,
with Mahogany Tone Blades

FAN FINISHES

Standard Finishes
Metal Blades

BK Matte Black

BZZT Bronzette

BN Brushed Nickel


Blade Finishes
Solid Wood

WD Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass	
BRCP	Brushed Copper	
PB	Polished Brass	
CR	Polished Chrome	
CP	Polished Copper	
CRDAMP	Polished Chrome Damp	
BNDAMP	Brushed Nickel Damp	
WH	Gloss White	
LTBLUE	Agua Marinha	
LTPURPLE	Ametista	
BKN	Black Nickel	
GREEN	Esmeralda	
RED	Rubi	
BLUE	Safira	

TECHNICAL SPECIFICATIONS



SKU BUILDER

DD-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- AC Motor
- Hand Made
- Wall Control
- Damp Location
- 360° Rotation
- Unipack Shipping
- Optional 29° Slant Mount
- Safety Cage Compatible

FAN FEATURES

Fan Weight 21 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30, 48, 72
centimeters: 13, 25, 51, 76, 122, 183
Field cuttable, Non-threaded
Downrod Diameter 0.75 inch
Overall Drop 9 inches / 23 cm + downrod length
Fan Diameter
Solid Wood - 36 inches / 91 cm
Metal with Guard - 39 inches / 99 cm
Fan Blade Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage

RPM (Low/High)	CFM/Watt (High)
Wood - 1274 / 1534	Wood - 43
Metal - 598 / 1109	Metal - 22

CFM (Low/High)	Blade Pitch
Wood - 2673 / 3210	Wood - 19°
Metal - 1240 / 2274	Metal - 31°

Watts (High)
Wood - 74.06
Metal - 103.35

STANDARD EQUIPMENT

Downrod 10in / 25cm
Flat Ceiling Canopy

Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off
**For more information see accessory page. 132*



Shown:
IV-RED-MTL Rubi Finish, with Metal Blades

Italo Ventania

The Crown Jewel of Matthews Fan Co.'s Collection

This magnificent 360° rotational fan is the largest in its class. Its sleek, vortex-sculpted arms reach outward, embracing two exquisitely crafted, side-mounted fan heads in a graceful, equatorial dance. Infinite range of motion, these fan heads glide in 180-degree arcs, directing a perfect flow of air wherever you desire. The fan's unique design allows you to adjust the angle of the motor to the horizontal support rods, effortlessly controlling the speed of the axial rotation, from a serene, slow-turning breeze to a rapid, invigorating wind. The interplay between fan head positioning and blade speed ensures every room is bathed in a gentle, soothing current, circulating both warmth and cool air with unrivaled efficiency.



Shown:
IV-BN-WD Brushed Nickel Finish with Mahogany Tone Blades



IV-BZTZ-WD
Bronzette Finish,
with Mahogany Tone Blades



IV-BK-MTL
Matte Black Finish,
with Metal Blades

FAN FINISHES

Standard Finishes
Metal Blades



BK
Matte Black



BZTZ
Bronzette















BN
Brushed Nickel

Blade Finishes
Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass	
BRCP	Brushed Copper	
PB	Polished Brass	
CR	Polished Chrome	
CP	Polished Copper	
CRDAMP	Polished Chrome Damp	
BNDAMP	Brushed Nickel Damp	
WH	Gloss White	
LTBLUE	Agua Marinha	
LTPURPLE	Ametista	
GREEN	Esmeralda	
RED	Rubi	
BLUE	Safira	

TECHNICAL SPECIFICATIONS



SKU BUILDER

IV-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- | | |
|--|--|
|  AC Motor |  Hand Made |
|  Wall Control |  Damp Location |
|  360° Rotation |  Unipack Shipping |
|  Optional 29° Slant Mount |  Safety Cage Compatible |

FAN FEATURES

Fan Weight 24 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30, 48, 72
centimeters: 13, 25, 51, 76, 122, 183
Field cuttable, Non-threaded
Downrod Diameter 0.75 inch
Overall Drop 14 inches / 36 cm
+ downrod length
Fan Diameter
Solid Wood - 62 inches / 157 cm
Metal with Guard - 60 inches / 152 cm
Fan Blade Diameter
Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options
Wood - No Cage Option
Metal - Safety Cage or Decorative Cage

RPM (Low/High)	CFM/Watt (High)
Wood - 715 / 1290	Wood - 49
Metal - 685 / 1139	Metal - 24

CFM (Low/High)	Blade Pitch
Wood - 2644 / 4519	Wood - 19°
Metal - 1372 / 2278	Metal - 31°

Watts (High)
Wood - 91.63
Metal - 94.76

STANDARD EQUIPMENT

Downrod 10in / 25cm
Flat Ceiling Canopy



Wall Control
Requires three-wire system
- 3-speed
- Oscillation On/Off
**For more information see accessory page. 132*




Michelle Parede


Timeless Charm to Any Space

With its beautifully crafted cast aluminum and heavy spun steel construction, this wall-mounted fan is both a statement of sophistication and a testament to enduring quality. Designed for ultimate versatility, the fan head glides effortlessly across 180-degree arcs, allowing for infinite positioning both vertically and horizontally to create the perfect breeze. Whether tucked into a cozy corner, enhancing airflow in a compact space, or working in harmony with HVAC ducts for optimal comfort, the Michelle Parede transforms air circulation into an art form. Backed by a limited lifetime warranty, this exquisite fan is more than just a cooling solution—it's a tribute to classic design and modern innovation.






MP-BK
Matte Black Finish




MP-BN
Brushed Nickel Finish




MP-BZZT
Bronzette Finish

FAN FINISHES


Standard Finishes
Metal Blades



BK
Matte Black




BZZT
Bronzette

















BN
Brushed Nickel

Blade Finishes
Solid Wood



WD
Mahogany Tone








All Swatches See Page 138

BRBR	Brushed Brass	
BRCP	Brushed Copper	
PB	Polished Brass	
CR	Polished Chrome	
CP	Polished Copper	
CRDAMP	Polished Chrome Damp	
BNDAMP	Brushed Nickel Damp	
WH	Gloss White	
LTBLUE	Agua Marinha	
LTPURPLE	Ametista	
BKN	Black Nickel	
GREEN	Esmeralda	
RED	Rubi	
BLUE	Safira	

SKU BUILDER

MP-XXXX
(Model+Finish)

PRODUCT FEATURES

-  AC Motor
-  Hand Made
-  Wall Control
-  Damp Location
-  180° Adjustable
-  Unipack Shipping
-  Safety Cage Compatible

FAN FEATURES

Fan Weight 7 lbs

Voltage 110 or 220

Blade Material Metal

Fan Guard Safety Cage

Oscillation No

Fan Diameter 13 inches / 33 cm

Fan Height 21 inches / 51 cm

Fan Projection 16 inches / 41 cm

Recommended Mounting Height
Approximately 24 inches / 61 cm from ceiling

MOTOR FEATURES

Motor Type AC

Ambiance Soothing White Noise

Safety Certification UL / CUL

Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

RPM (Low/High) 1020 / 1418

CFM (Low/High) 839 / 1181


Watts (High) 49

CFM/Watt (High) 49

Blade Pitch 31°

STANDARD EQUIPMENT

Safety Cage
Side-mounted Wall Junction Box



Wall Control
Requires three-wire system
- 3-speed

**For more information see accessory page. 132*



16" / 41 cm

13" / 33 cm

21" / 53 cm

5.5" / 14 cm

Infinately Adjustable
180° Vertically
and Horizontally

optimum fan head position: 45° to yoke

UL US



Vent-Bettina

Sophisticated Silhouette that Blends Seamlessly

Engineered for both beauty and performance, this fan features quiet axial rotation with motor heads that can be infinitely positioned within 180-degree arcs, offering a mesmerizing dance of motion while ensuring optimal airflow. The steeper the angle, the faster the rotation—allowing for a tailored breeze that enhances comfort with precision. More than just a cooling solution, the Vent-Bettina is a statement of innovation, circulating warmth in winter and refreshing air in summer far more efficiently than traditional paddle fans. Crafted from premium cast aluminum and heavy spun steel, this timeless piece is built to last, backed by a limited lifetime warranty.



FAN FINISHES

Standard Finishes

Metal Blades



BK
Matte Black



BZZT
Bronzette



BN
Brushed Nickel

Blade Finishes


Solid Wood




WD
Mahogany Tone

All Swatches See Page 138

BRBR	Brushed Brass
BRCP	Brushed Copper
PB	Polished Brass
CR	Polished Chrome
CP	Polished Copper
CRDAMP	Polished Chrome Damp
BNDAMP	Brushed Nickel Damp
WH	Gloss White
LTBLUE	Agua Marinha
LTPURPLE	Ametista
BKN	Black Nickel
GREEN	Esmeralda
RED	Rubi
BLUE	Safira



TECHNICAL SPECIFICATIONS



SKU BUILDER

VB-XXXX-XXX
(Model+Finish+Blade)

PRODUCT FEATURES

- | | |
|--------------------------|------------------------|
| AC Motor | Hand Made |
| Wall Control | Damp Location |
| 360° Rotation | Unipack Shipping |
| Optional 29° Slant Mount | Safety Cage Compatible |

FAN FEATURES

Fan Weight 19 lbs **Voltage** 110 or 220
Downrod Lengths inches: 5, 10, 20, 30, 48, 72
centimeters: 13, 25, 51, 76, 122, 183
Field cuttable, Non-threaded
Downrod Diameter 0.75 inch
Overall Drop 7 inches / 18 cm
+ downrod length

Fan Diameter

Solid Wood - 44 inches / 112 cm
Metal with Guard - 42 inches / 107 cm

Fan Blade Diameter

Solid Wood - 16 inches / 41 cm
Metal with Guard - 13 inches / 33 cm

MOTOR FEATURES

Motor Type AC
Ambiance Soothing White Noise
Safety Certification UL / CUL
Warranty Limited Lifetime

DOE MOTOR EFFICIENCY DATA

Guard Options

Wood - No Cage Option

Metal - Safety Cage or Decorative Cage

RPM (Low/High)	CFM/Watt (High)
Wood - 796 / 1252	Wood - 38
Metal - 699 / 1101	Metal - 23

CFM (Low/High)	Blade Pitch
Wood - 2070 / 3293	Wood - 19°
Metal - 1346 / 2077	Metal - 31°

Watts (High)

Wood - 87.32

Metal - 89.63

STANDARD EQUIPMENT

Downrod 10in / 25cm

Flat Ceiling Canopy



Wall Control

Requires three-wire system

- 3-speed

- Oscillation On/Off

**For more information see accessory page. 132*

Accessories - Controls

DC Motor
AT-RC-DC-CEILING-XX
AT-DC-WC-AK
AT-RC-DC-WALL-LL

AC Motor
AT-RC-AC-CEILING-XX
AT-AC-WC-ME
AT-AC-WC-DA
AT-AC-WC-SS

● Included
○ Optional



AT-RC-DC-XX
*XX-ParentSKU



AT-DC-WC-AK



AT-RC-DC-OLD



AT-AC-WC-ME



Smart Home Capabilities

Matthews Fans are compatible with the Bond Bridge & Bond Bridge Pro
* Device Not Included. Not all fan features are compatible with Bond Bridge or Bond Pro. Results may vary.



AT-RC-DC-WALL-LL



AT-RC-AC-XX
*XX-ParentSKU



AT-AC-WC-AQ



AT-AC-WC-DA



AT-AC-WC-SS

- | | | | | |
|---|--|--|---|--|
| <ul style="list-style-type: none">• AAA Battery (Included)• Frequency 110V - 304Mhz• Frequency 220V - 434Mhz• Oscillation On/Off• 4-Channel Dip-switch• 3 Speed Control• Wall Cradle Included | <ul style="list-style-type: none">• A23 Batteries (included)• Frequency 110V - 304Mhz• Frequency 220V - 434Mhz• LED On/Off• Wall Cradle Included• 4-Channel Dip-switch• Oscillation On/Off | <ul style="list-style-type: none">• 3-Wire System• 3 Speed Control• Oscillation On/Off | <ul style="list-style-type: none">• A23 Battery (Included)• 2-Wire System• 3 Speed Control• LED On/Off | <ul style="list-style-type: none">• 3-Wire System• 4 Speed Control• LED Dimmable |
|---|--|--|---|--|

ACQUA						AT-RC-AC-AQ	●	○		
ALESSANDRA	AT-RC-DC-AK	●	○							
ALESSANDRA - LK	AT-RC-DC-AK	●	○							
ALESSANDRA TROPICAL	AT-RC-DC-AK	●	○							
ALESSANDRA TROPICAL - LK	AT-RC-DC-AK	●	○							
ARIELLA	AT-RC-DC-AK	●	○							
ARIELLA-LK	AT-RC-DC-AK	●	○							
DAGNY						AT-RC-AC-AQ	●	○		
DAGNY-LK						AT-RC-AC-AQ	●	○		
DIANE				○		AT-RC-AC-DI	●			
DONAIRE						AT-RC-AC-DA	●		○	
ELIZA	AT-RC-DC-NOPM	●	●							
ELIZA-H	AT-RC-DC-NOPM	●	●							
IRENE-3	AT-RC-DC-NOPM	●	●							
IRENE-3H	AT-RC-DC-NOPM	●	●							
IRENE-3HLK	AT-RC-DC-NOPM	●	●							
IRENE-5	AT-RC-DC-NOPM	●	●							
IRENE-5H	AT-RC-DC-NOPM	●	●							
IRENE-5HLK	AT-RC-DC-NOPM	●	●							
KAYE				●		AT-RC-AC-DI	○			
LAURA					●					
LINDSAY		●		●						
MELODY				●		AT-RC-AC-DI	○			
MOLLY	AT-RC-DC-NOPM	●	●							
MOLLYWOOD	AT-RC-DC-NOPM	●	●							
NAN	AT-RC-DC-NOPM	●	●							
NAN-XL	AT-RC-DC-NOPM	●	●							
PATRICIA-3	AT-RC-DC-NOPM	●	●							
PATRICIA-5	AT-RC-DC-NOPM	●	●							
STEVEN										○
SUPERJANET		●		●						
AR RUTHIANE								●		
BIANCA DIRECIONAL				●						
BRISA 2000				●						
BRUNA PAREDE				●						
DUPLO-DINAMICO								●		
ITALO VENTANIA								●		
JAROLD DIRECIONAL				●						
MICHELLE PAREDE				●						
VENT-BETTINA								●		

Accessories - Downrods

Atlas

5" Downrod
10" Downrod
18" Downrod
20" Downrod
24" Downrod
30" Downrod
36" Downrod
48" Downrod
60" Downrod
72" Downrod

AT-5DR-XXXX
AT-10DR-XXXX
AT-18DR-XXXX
AT-20DR-XXXX
AT-24DR-XXXX
AT-30DR-XXXX
AT-36DR-XXXX
AT-48DR-XXXX
AT-60DR-XXXX
AT-72DR-XXXX

ATLAS DR = DOWNROD











AT-10DR-XXXX

10 = LENGTH XXXX = FINISH

5", 10", 18", 20", 24", 30"
36", 48", 60" OR 72"

Atlas Downrods

- 1" Diameter
- Field Cuttable
- Non-Threaded
- Double Pinned

 BB Brushed Bonze	 BK Matte Black	 BN Brushed Nickel	 BP Brushed Pewter	 BRBR Brushed Brass
 BS Brushed Stainless	 CR Polished Chrome	 MWH Matte White	 TB Textured Bronze	 WH Gloss White

Matthews - Gerbar

5" Downrod *with Coupling Cover*
5" Downrod
10" Downrod
20" Downrod
30" Downrod
48" Downrod
72" Downrod

5DR-ROT-XXXX
5DR-XXXX
10DR-XXXX
20DR-XXXX
30DR-XXXX
48DR-XXXX
72DR-XXXX

DR = DOWNROD

10DR-XXXX

10 = LENGTH XXXX = FINISH

5", 10", 18", 20", 24", 30"
36", 48", 60" OR 72"

Matthews Gerbar Downrods

- 0.75" Diameter
- Field Cuttable
- Non-Threaded
- Double Pinned

 BN Brushed Nickel	 BK Matte Black	 BKN Black Nickel	 BLUE Safira/Blue	 BRBR Brushed Brass
 BRCP Brushed Copper	 BZZT Bronzette	 CP Polished Copper	 CR Polished Chrome	 GREEN Esmerelda
 LTBLUE Agua Marinha	 LTPURPLE Ametista	 PB Polished Brass	 RED Rubi	 WH Gloss White

Accessories - Downrods

Atlas Downrods

	● Included	○ Optional	AT-5DR	AT-10DR	AT-18DR	AT-24DR	AT-36DR	AT-48DR	AT-60DR	AT-72DR
ACQUA		○	○	●	○	○	○	○	○	○
ALESSANDRA		●	●	○	○	○	○	○	○	○
ALESSANDRA - LK		●	●	○	○	○	○	○	○	○
ALESSANDRA TROPICAL		●	●	○	○	○	○	○	○	○
ALESSANDRA TROPICAL - LK		●	●	○	○	○	○	○	○	○
ARIELLA		○	○	●	○	○	○	○	○	○
ARIELLA-LK		○	○	●	○	○	○	○	○	○
DAGNY		○	○	●	○	○	○	○	○	○
DAGNY-LK		○	○	●	○	○	○	○	○	○
DIANE		○	○	●	○	○	○	○	○	○
DONAIRE		○	○	●	○	○	○	○	○	○
ELIZA		○	○	●	○	○	○	○	○	○
IRENE-3		○	○	●	○	○	○	○	○	○
IRENE-5		○	○	●	○	○	○	○	○	○
MOLLY		○	○	●	○	○	○	○	○	○
MOLLYWOOD		○	○	●	○	○	○	○	○	○
NAN		○	○	●	○	○	○	○	○	○
NAN-XL		○	○	●	○	○	○	○	○	○
PATRICIA-3		○	○	●	○	○	○	○	○	○
PATRICIA-5		○	○	●	○	○	○	○	○	○
STEVEN		●	○	○	○	○	○	○	○	○
SUPERJANET		○	○	●	○	○	○	○	○	○

Matthews - Gerbar Downrods

	● Included	○ Optional	5DR <i>with Coupling Cover</i>	5DR	10DR	20DR	30DR	48DR	72DR
AR RUTHIANE		○	○		●	○	○	○	○
BIANCA DIRECIONAL				○	●	○	○	○	○
BRISA 2000				○	●	○	○	○	○
DUPLO-DINAMICO		○	○		●	○	○	○	○
ITALO VENTANIA		○	○		●	○	○	○	○
JAROLD DIRECIONAL				○	●	○	○	○	○
VENT-BETTINA		○	○		●	○	○	○	○

Ceiling Height / Downrod

Ceiling Height	Downrod Table
10ft or less	5 inches / 13 cm <i>Use safty cages if applicable</i>
10-12 feet	10 Inches / 25 cm
13 feet	20 Inches / 51 cm
14 feet	30 Inches / 76 cm
15 feet	48 Inches / 122 cm
16 feet +	72 Inches / 183 cm

Accessories - Vaulted Ceiling Mount

Atlas











Atlas CathedralMT

- Flat - 60°
- Mounting Bracket
- Canopy Cover
- Downrod Ball
- Included Hardware

ATLAS
AT-CathedralMT-XXXX
XXXX = FINISH

AT-SlantMT-XXXX

AT-CathedralMT-XXXX

 BB Brushed Bonze	 BK Matte Black	 BN Brushed Nickel	 BP Brushed Pewter	 BRBR Brushed Brass
 BS Brushed Stainless	 CR Polished Chrome	 MWH Matte White	 TB Textured Bronze	 WH Gloss White

Matthews - Gerbar

Matthews - Gerbar SlantMT

- 1° - 29°

SlantMT-XXXX
XXXX = FINISH

SlantMT-XXXX


 BN Brushed Nickel	 BK Matte Black	 BKN Black Nickel	 BLUE Safira/Blue	 BRBR Brushed Brass
 BRCP Brushed Copper	 BZZT Bronzette	 CP Polished Copper	 CR Polished Chrome	 GREEN Esmerelda
 LTBLUE Agua Marinha	 LTPURPLE Ametista	 PB Polished Brass	 RED Rubi	 WH Gloss White

Accessories - Vaulted Ceiling Mount

Choosing Your Vaulted Ceiling Mount

Rise = vertical height the ceiling rises over a certain distance

Run = horizontal distance over which that rise occurs












Ceiling Pitch Table

0/12	0 Degrees
1/12	4.76 Degrees
2/12	9.46 Degrees
3/12	14.04 Degrees
4/12	18.43 Degrees
5/12	22.62 Degrees
6/12	26.57 Degrees
7/12	30.26 Degrees
8/12	33.69 Degrees
9/12	36.87 Degrees
10/12	39.81 Degrees
11/12	42.51 Degrees

Swatches - Motors & Blades

Atlas Finishes

 <p>BB Brushed Bronze <i>Motor & ABS Blade</i></p>	 <p>BK Matte Black <i>Motor & ABS Blade</i></p>	 <p>BK Matte Black <i>Wood - Motor & Blade</i></p>	 <p>BL Light Blue <i>ABS Blade</i></p>
 <p>BN Brushed Nickel <i>Motor & ABS Blade</i></p>	 <p>BP Brushed Pewter <i>Motor</i></p>	 <p>BRBR Brushed Brass <i>Motor</i></p>	 <p>BS Brushed Stainless <i>Motor & ABS Blade</i></p>
 <p>BW Barn Wood Tone <i>ABS Blade</i></p>	 <p>BW Barn Wood Tone <i>Wood - Motor & Blade</i></p>	 <p>CR Polished Chrome <i>Motor</i></p>	 <p>GA Gray Ash Tone <i>ABS Blade</i></p>
 <p>GA Gray Ash Tone <i>Wood - Blade</i></p>	 <p>LM Light Maple Tone <i>ABS Blade</i></p>	 <p>LM Light Maple Tone <i>Wood - Motor & Blade</i></p>	 <p>LI Lilac <i>ABS Blade</i></p>


Swatches - Motors & Blades

 <p>WH Gloss White <i>Motor & ABS Blade</i></p>	 <p>MWH Matte White <i>Motor & ABS Blade</i></p>	 <p>MWH Matte White <i>Wood - Blade</i></p>	 <p>OO Old Oak <i>ABS Blade</i></p>
 <p>PI Light Pink <i>ABS Blade</i></p>	 <p>TB Textured Bronze <i>Motor</i></p>	 <p>WN Walnut Tone <i>ABS Blade</i></p>	 <p>WN Walnut Tone <i>Wood - Motor</i></p>
 <p>WA Walnut Tone <i>Wood - Blade</i></p>	 <p>YE Light Yellow <i>ABS Blade</i></p>		




Swatches - Motors & Blades

Matthews - Gerbar Finishes



BN or BNDAMP
Brushed Nickel
Motor & Blade




BK
Black
Motor & Blade




BKN
Black Nickel
Motor & Blade



BLUE
Safira/Blue
Motor & Blade




BRBR
Brushed Brass
Motor & Blade




BRCP
Brushed Copper
Motor & Blade



BZZT
Bronzette
Motor & Blade




CP
Polished Copper
Motor & Blade



CR or CRDAMP
Polished Chrome
Motor & Blade



GREEN
Esmerelda
Motor & Blade



LTBLUE
Agua Marinha
Motor & Blade



LTPURPLE
Ametista
Motor & Blade




PB
Polished Brass
Motor & Blade



RED
Rubi
Motor & Blade



WD
Mahogany Tone
Wood - Blade



WH
Gloss White
Motor & Blade

Custom Finishes



YES, we do have that color!

Matthews - Gerbar utilizes full spectrum color matching to make your fan truly customizable. With no minimum order quantity, we empower design enthusiasts to create unique, elevated fixtures meant to be admired for a lifetime.


*No cancelations or returned on special finishes

QUICK REFERENCE PAGE
ATLAS


MODEL	MODEL CODE	DIAMETER	MOTOR TYPE	REMOTE	WALL CONTROL	ENVIRONMENT RATING	LIGHT KIT	UNIPAK
ACQUA	AQ	38" (WOOD) 36" (METAL)	AC	AT-RC-AC-CEILING-AQ	AT-AC-WC-AQ	DAMP	YES	YES
ALESSANDRA	AK	42",56",72"	DC	AT-RC-DC-CEILING-AK	AT-DC-WC-AK	WET	NO	YES**
ALESSANDRA-LK	AKLK	42",56",72"	DC	AT-RC-DC-CEILING-AKLK	AT-DC-WC-AK	WET	YES	YES**
ALESSANDRA TROPICALE	AKTP	48"	DC	AT-RC-DC-CEILING-AKTP	AT-DC-WC-AK	WET	NO	NO
ALESSANDRA TROPICALE - LK	AKTPLK	48"	DC	AT-RC-DC-CEILING-AKTPLK	AT-DC-WC-AK	WET	YES	NO
ARIELLA	AN	64"	DC	AT-RC-DC-CEILING-AN	AT-DC-WC-AK	WET	NO	YES
ARIELLA-LK	ANLK	64"	DC	AT-RC-DC-CEILING-ANLK	AT-DC-WC-AK	WET	YES	YES
DAGNY	DG	41" (WOOD) 39" (METAL)	AC	AT-RC-AC-CEILING-DG	AT-DC-WC-AQ	DAMP	NO	YES
DAGNY-LK	DGLK	41" (WOOD) 39" (METAL)	AC	AT-RC-AC-CEILING-DGLK	AT-DC-WC-AQ	DAMP	YES	YES
DIANE	DI	16" (WOOD) 13" (METAL)	AC	AT-RC-AC-CEILING-DI	AT-DC-WC-ME	DAMP	NO	YES
DONAIRE	DA	52"	AC	AT-RC-AC-CEILING-DA	AT-DC-WC-DA	WET-COASTAL	YES	YES
ELIZA	EK	56"	DC	AT-RC-DC-CEILING-EK	AT-DC-WC-AK	WET	NO	YES
ELIZA-H	EKH	56"	DC	AT-RC-DC-CEILING-EKH	AT-DC-WC-AK	DAMP	NO	YES
IRENE-3	IR3	42",52",60",72"	DC	AT-RC-DC-CEILING-IR3	AT-DC-WC-AK	DAMP	NO	NO
IRENE-3H	IR3H	42",52",60",72"	DC	AT-RC-DC-CEILING-IR3H	AT-DC-WC-AK	DAMP	NO	NO
IRENE-3HLK	IR3HLK	42",52",60"	DC	AT-RC-DC-CEILING-IR3HLK	AT-DC-WC-AK	DAMP	YES	NO
IRENE-5	IR5	42",52",60"	DC	AT-RC-DC-CEILING-IR5	AT-DC-WC-AK	DAMP	NO	NO
IRENE-5H	IR5H	42",52",60"	DC	AT-RC-DC-CEILING-IR5H	AT-DC-WC-AK	DAMP	NO	NO
IRENE-5HLK	IR5HLK	42",52",60"	DC	AT-RC-DC-CEILING-IR5HLK	AT-DC-WC-AK	DAMP	YES	NO
KAYE	KC	13"	AC	AT-RC-AC-CEILING-DI	AT-DC-WC-ME	DAMP	NO	YES
LAURA	LL	16"	DC	AT-RC-DC-CEILING-LL	AT-DC-WC-LL	DAMP	NO	YES
LINDSAY	LW	52"	DC	AT-RC-DC-CEILING-LW	AT-DC-WC-AK	DAMP	YES	YES
MELODY	ME	13"	AC	AT-RC-AC-CEILING-DI	AT-DC-WC-ME	DAMP	NO	YES
MOLLY	MK	56"	DC	AT-RC-DC-CEILING-MK	AT-DC-WC-AK	WET	NO	YES
MOLLYWOOD	MW	42",52",60"	DC	AT-RC-DC-CEILING-MW	AT-DC-WC-AK	DAMP	NO	NO
NAN	NK	42",52",60"	DC	AT-RC-DC-CEILING-NK	AT-DC-WC-AK	DAMP	NO	NO
NAN-XL	NKXL	72"	DC	AT-RC-DC-CEILING-NKXL	AT-DC-WC-AK	DAMP	NO	NO
PATRICIA-3	PA3	42",52",60"	DC	AT-RC-DC-CEILING-PA3	AT-DC-WC-AK	DAMP	YES	NO
PATRICIA-5	PA5	42",52",60"	DC	AT-RC-DC-CEILING-PA5	AT-DC-WC-AK	DAMP	YES	NO
SUPER JANET	SJ	42",52",60"	DC	AT-RC-DC-CEILING-SJ	AT-DC-WC-AK	DAMP	YES	YES**
UNIPAK** = Some blade options may not qualify for UNIPAK shipping on certain fixtures								

QUICK REFERENCE PAGE

STANDARD EQUIPMENT



CEILING FANS



WALL FANS

ATLAS

(1) Field-Cutttable 10" Downrod
(1) Slant 30 Degree Ceiling Mount Apparatus
(1) Remote Control for AC motor fans
(1) Remote Control & (1) White Decora-style Wall Control

(1) Side-mount Junction Box
(1) White Decora-style Wall Control
(1) Remote Control - Laura fan only

MATTHEWS-GERBAR

(1) Field-Cutttable 10" Downrod
(1) Flat Ceiling Mount Apparatus
(1) White Decora-style Wall Control

(1) Side-mount Junction Box
(1) White Decora-style Wall Control

The Catalog lists standard equipment at the bottom of each fan model page.

MATTHEWS-GERBAR

MODEL	MODEL CODE	DIAMETER	MOTOR TYPE	REMOTE	WALL CONTROL	ENVIRONMENT RATING	LIGHT KIT	UNIPAK
AR RUTHIANE	AR	48" (WOOD)/46" (METAL)	AC	N/A	AT-AQ-WC	DRY / DAMP*	NO	YES
BIANCA DIRECIONAL	BD	16" (WOOD) /13" (METAL)	AC	N/A	AT-ME-WC	DRY / DAMP*	NO	YES
BRISA 2000	B2K	40" (WOOD) /39" (METAL)	AC	N/A	AT-ME-WC	DRY / DAMP*	NO	YES**
BRUNA PAREDE	BP	21" H X 16" PROJECTION	AC	N/A	AT-ME-WC	DRY / DAMP*	NO	YES
DUPLO-DINAMICO	DD	36" (WOOD) /39" (METAL)	AC	N/A	AT-AQ-WC	DRY / DAMP*	NO	YES**
ITALO VENTANIA	IV	62" (WOOD) /60" (METAL)	AC	N/A	AT-AQ-WC	DRY / DAMP*	NP	YES
JAROLD DIRECIONAL	JD	16" (WOOD) /13" (METAL)	AC	N/A	AT-ME-WC	DRY / DAMP*	NO	YES
MICHELLE PAREDE	MP	21" H X 16" PROJECTION	AC	N/A	AT-ME-WC	DRY / DAMP*	NO	YES
VENT-BETTINA	VB	44" (WOOD) / 42" (METAL)	AC	N/A	AT-AQ-WC	DRY / DAMP*	NO	NO
DAMP* = Protection Coating for Damp Non-Coastal Environments, Chlorine and Saltwater Pools UNIPAK** = Some blade options may not qualify for UNIPAK shipping								

MATTHEWS FAN COMPANY
1881 Industrial Dr, Libertyville, IL 60048 U.S.A.
T: 847-680-9043
F: 847-680-8140
W: www.MatthewsFanCo.com

Purchase Order Processing:	Orders@MatthewsFanCo.com or Fax to: 1-847-680-8140
Customer: Service:	CS@MatthewsFanCo.com or Fax to: 1-847-680-8140
Order Status Inquiries:	Status@MatthewsFanCo.com
Order Cancellation:	Cancel@MatthewsFanCo.com
Returned Goods Authorization:	RGA@MatthewsFanCo.com
Payment Terms:	Net 30 Days
Shipping terms:	F.O.B. Libertyville, IL 60048
Minimum Order Quantities:	None
IMAP Price:	Minimum advertised priced that you are able to promote MFC product.
Dealer Net Price:	Authorized Distributor Cost* <i>*(inside discounts are calculated from the DN price)</i>

FFF: “Free Freight Forever” Retail Showroom/Warehouse and Drop Ship to Consumer Freight Policy

100% of standard ground freight costs may be deducted from the invoice for contiguous, continental US destinations if the partner distributor maintains our highest discount of 10% OFF Dealer Net by maintaining at lease 5 fixtures on display and 30 net invoice payment terms being payed on time. Freight may also be deducted if the partner distributors purchase order is greater than or equal to \$1500.00 net and if 30-day net invoice payment terms are payed on time. Contact your local sales rep to inquire about discounts and display programs.

Notice: MFC will endeavor to meet a client’s request to ship on his own carrier’s 3rd party shipping account, however if such a request is not met for whatever reason, the client is NOT absolved from payment of our incurred shipping costs. Duties and taxes for international shipments are always the responsibility of the client unless already agreed upon between the parties.

Limited Lifetime Warranty

MFC warranties its products to the original user against defects in workmanship or materials under normal use for: Motors: Lifetime of original purchaser/consumer, Component Parts (lights, finish, blades etc.): One year from date of purchase. Any part, which is determined by MFC to be defective in material or workmanship and returned to an authorized service location designated by MFC, shipping costs prepaid, will be as the exclusive remedy, repaired or replaced at MFC’s option providing that proof of purchase is provided. Your warranty rights will be honored only when the product has been installed and used properly. Warranty does not cover repair or replacement of products damaged by improper use or faulty installation. **MFC assumes NO liability for labor or installation costs or other losses.** Further warranty information is found in installation instructions.

Shipping Damage

Report shipping damage to MFC immediately. Retain damaged merchandise, packing and shipping containers until damage claim has been settled. Damage in transit is the responsibility of the carrier. **This procedure must be followed or repair/credit/replacement for the damaged goods cannot be given.**

Remorse Returns

Contact MFC for authorization to return remorse goods at 1-847-680-9043 or at rga@matthewsfanco.com. No remorse returns will be accepted without Returned Goods Authorization or “RGA” number. **Goods returned for credit or exchange in pristine, re-sellable condition in original boxes and packing materials** will not incur any restocking fees for remorse returns under \$100.00 NET. Remorse returns over \$100.00 NET will incur a 25% restocking fee or can be exchanged one for one. Freight for the returned item must be pre-paid. If the original order was shipped “free freight” the outbound freight must be reimbursed. Custom orders cannot be returned.

Defective Returns

Contact MFC at 1-847-680-9043 or at rga@matthewsfanco.com for authorization to return defective goods. Indicate on return request details of defect and any troubleshooting performed by either showroom representative or MFC Technical Department. **Trouble shooting must be executed before requesting an “RGA”.** Replacement orders for defective goods will be processed within 24 hours depending upon availability of stock. No defective returns will be accepted without Returned Goods Authorization or “RGA” number. All return cartons must withstand shipping. Any defected returns sent with out an “RGA” will be refused.

Cancellation Policy

Custom fixture orders are not cancellable once production begins. If the client demands cancellation, a cancellation fee based upon expenses incurred will be levied. Standard, non-custom fixture orders are cancellable up until the time that the fixtures are installed. If however, the fixtures have already left our warehouse and the client wishes to cancel, the order becomes a remorse return with return shipping costs the responsibility of the client. Cancellations must be acknowledged to be valid. A passively sent cancellation email sent 24 hours before the order is set to ship does not absolve the client from payment of return shipping charges if the cancellation is not recognized by MFC.

Safety Laboratory Listings

All ceiling and wall fans are either UL or ETL listed. All fans except the Donaire are not warranted for salt water/ocean front with saltwater nor chlorine installations. Please contact us for any warranty questions you may have. Underwriters Laboratories’ standard’s suggests that our safety cage/metal blade combination be used with our fans when mounted in rooms with ceiling heights of less than 10.0 Ft. In the U.S., if safety cages are used, our fans can be mounted on ceilings or walls with ceiling heights as low as 7.0 Ft. In Canada, if safety cages are used, our fans can be mounted on ceilings or walls with ceiling heights as low as 8.3 Ft/2.5 M.

