


# Inspired, Effortless Shade









New Zealand Innovation



Eco-friendly Production

## **Patented & Trademarked Technology**


# Frame Warranty\*

#### Clever shade for compact spaces.


The Shadowspec Retreat™ is built from sleek, modern materials. We've handpicked the world's best to ensure longevity. Anodised Aluminum and 316 Stainless Steel work in harmony with our in-house design philosophy.



SHADOWLIFT™
Gas-assisted deployment for an easy lift.



SHADOWROLL™
Integrated roller allows smooth deployment.



SHADOWREACH™ Extend for maximum shade reach.



SHADOWTILT™
Protects from low-angled sun rays.

### Follow the sun



**ROTATES**Allows shade for the duration of the day.



**TILTS**Two tilt positions to protect when the sun is low.



**EXTENDS**Away from the wall.

### **Canopy**



#### Designer colors to enhance and inspire your space.

Solution-dyed, fade resistant and UPF 80 rated to provide UV protection year round, backed up by extensive warranties. Available in 5 classy colors: Oyster, Alpine Stone, Charcoal Tweed, Rust and Black & White Stripe.













Oyster

Alpine Stone

Charcoal Tweed

Rust

Black & White Stripe







Oil and Stain Repellent



Mold and Mildew Resistant



Easy Clean



Resistant



Resistant



Resistant



On-Trend Colors



Solution-dyed, High Color Fastness



UV and Fade Resistant



UPF 80 UV Protection



Eco-friendy Production



Breathable Weave

## **Shadowspec Retreat Dimensions**




Diagram Legend		9'	Full Extension	2.7m	Full Extension
Α	Canopy height when deployed	1'		295mm	
В	Wall Bracket length	1'9"		526mm	
С	Space from Wall Bracket to Wall Clip	1'4"		441mm	
D	Gap from Wall Clip to ground (recommended distance)	4'		1209mm	
E	Wall to Centre Hub distance (456mm/18" Shadowreach adjustment)	4'8"	6'2"	1419mm	1875mm
F	Wall to outer Canopy Edge (456mm/18" Shadowreach adjustment)	8'7"	10'0"	2609mm	3065mm
G	Ground to Centre Hub (recommended distance)	6'7"		2014mm	
Н	Ground to Canopy Edge (recommended distance)	7'1'		2166mm	
I	Closed Umbrella depth	1'		300mm	
J	Wall Bracket width	4"		95mm	
К	Closed Umbrella width	5-6"		130-150mm	
L	Canopy flat-to-flat measurement	7'7'		2300mm	
М	Canopy point-to-point measurement	8'10'		2700mm	

#### Note: Fastenings are not supplied for the Wall Mount Bracket.

All sizings and conversions are +/- 1/16" / 2.5mm and are subject to change without notice. We recommend commerical installations use metric measurement for any umbrella spacing to ensure accuracy. The above dimensions make the assumption that you have installed your umbrella at the recommended installation height on your wall. If you have installed your Retreat lower or higher than recommended, you will need to add that difference to the above measurements.

# Contact our shade specialists for information and advice.

North America 844 888 5577 www.shadowspec.com

