



Shadowspec
UNITYTM
Multi-Canopy Cantilever Umbrella



The Evolution of Shade



**Fabric
Warranty***
BEST-IN-CLASS



**Frame
Warranty***
BEST-IN-CLASS



Trusted for
over 25 years



Hand-built in
New Zealand



Marine
Grade

SHADOWSPEC UNITY™ Multi-Canopy Cantilever Umbrella

Patented & Trademarked Technology



SHADOWLIFT™

Gas-assisted deployment for an easy lift.



SHADOWGLIDE™

Engineered to open or close in 5 seconds.



SHADOWHUB™

LED light technology built-in and app controlled.



SHADOWLOCK™


Integrated security and wind-protection.

Canopy




Fabric Warranty*
BEST-IN-CLASS

Quick-Ship Colors



Oyster




Alpine Stone


Special-Order Colors**



Natural




Storm




Charcoal




Slate




Taupe



Charcoal Tweed



Black



Fern



Linen



Sunflower Yellow



Captain Navy



Terracotta

***Special-Order Colors are non-stock and will incur an additional lead time and surcharge. Full Sunbrella Marine Range or other identical fabrics are available as a custom color option.*

 **sunbrella**

RECASENS
BCN 1886

Solution Dyed Acrylic

Some fabric dyeing methods only coat the outer surface of the fiber – think of a radish.

With the Solution Dyed method, each individual thread fiber is dyed – think of a beetroot. The fabric is also easy to clean and covered by a 10 year warranty.

Frame Color



Space Grey



Heron Black***

****Available in 10' Square or 13' Octagon sizes only.*



Frame Warranty*
BEST-IN-CLASS



Marine Grade



Solution-dyed, High Color Fastness



UV and Fade Resistant



UPF 80 UV Protection



Eco-friendly Production



Breathable Weave



Mold and Mildew Resistant



Oil and Stain Repellent



Easy Clean



Water Resistant



Chlorine Resistant




Tear Resistant

Size & Configuration


OCTAGON UNO

11' | 3.5m or 13' | 4.0m




OCTAGON DUO

22' | 7.0m or 26' | 8.0m




SQUARE UNO

8' | 2.5m or 10' | 3.0m




SQUARE DUO

16' | 5.0m or 20' | 6.0m




SQUARE DUO

16' | 5.0m or 20' | 6.0m




SQUARE TRIO

16' | 5.0m or 20' | 6.0m



SQUARE QUATTRO

16' | 5.0m or 20' | 6.0m



All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.

Features




EASY OPEN & CLOSE

Umbrella deployment system with no winding or cables.



MARINE GRADE

No-rust, 316 Stainless Steel Spigot.



FOLLOW THE SUN

Enjoy the 360° rotation for all-day-shade.



10 YEAR
Fabric Warranty*



6 YEAR
Frame Warranty*

BEST-IN-CLASS WARRANTY

Accessories

N.b. Accessories are optional. Pricing additional.



RAIN GUTTER

Connects adjoining canopies to enhance rain protection.



LED LIGHT CONTROL

Power your light with the Smart Battery or Hardwire Kit.



PROTECTION COVER

Recommended protection for your umbrella when not in use.



CASTOR WHEELS FOR FREE-STANDING BASE

Mounting Options

SURFACE PLATE

For deck, patio and concrete mounting. (316 stainless steel)



IN-GROUND ANCHOR

For mounting with a concrete footing.



WALL MOUNT BRACKET

For when ground mounting isn't possible. (316 stainless steel)



FREE-STANDING BASE + ALUMINUM BASE COVER

For complete customized manoeuvrability.



Note: Fastenings are not supplied for the Surface Plate or Wall Mount Bracket.

Available in Space Grey or Heron Black. Concrete pavers (not included) are required for ballast. Optional Castor Wheels available.

Dimensions




Diagram Legend

Diagram Legend		8'	2.5m	10'	3.0m	11'	3.5m	13'	4.0m
A	Ground to central frame hub when closed †	2'10"	860mm	2'1"	620mm	3'7"	1079mm	2'10"	866mm
B	Total height to top of canopy†	9'6"	2900mm	9'3"	2824mm	9'9"	2975mm	9'6"	2899mm
C	Height of umbrella to top of mast cap†	9'6"	2908mm	9'6"	2908mm	9'7"	2908mm	9'6"	2908mm
D	Ground to central frame hub when open †	7'0"	2130mm	6'9"	2054mm	7'3"	2205mm	7'0"	2128mm
E	Ground to lower outer edge of canopy†	7'3"	2222mm	7'3"	2219mm	7'4"	2237mm	7'2"	2172mm
F	Centre of Spigot to outside edge of canopy	8'8"	2646mm	9'10"	2973mm	11'4"	3447mm	12'10"	3923mm
G	Diagonal from centre of mast to corner	12'3"	3742mm	13'10"	4205mm	N/A	N/A	N/A	N/A
H	Duo/Quattro umbrella width edge to edge	17'4"	5292mm	19'6"	5946mm	22'7"	6894mm	25'9"	7846mm
I	Gutter space between canopies	6"	160mm	6"	160mm	N/A	N/A	N/A	N/A

†Free-Standing Base installations will add 6" | 165mm to the height and surface plates will add 1/2" | 12mm to the height. Adding the optional Castor Wheels to the Free-standing Base will increase height a further 2-3" | 45-80mm to the height. All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.

Contact our shade specialists
for information and advice.

North America
844 888 5577
www.shadowspec.com



shadowspec
umbrellas with distinction

*Warranty conditions apply: 3 year warranty for commercial applications. | P01/24